InterCatch

User Manual

Document version 1.11

International Council for the Exploration of the Sea
Conseil International pour l'Exploration de la Mer

Contents

1 INTRODUCTION 3

2 INFORMATION AND ACCESS 3

3 ESSENTIAL CONCEPTS IN INTERCATCH 4

3.1 Stock and Year: 'Trial' or 'Final' 4

3.2 Allocation scheme 4

3.3 Steps in InterCatch 5

4 LOGGING ON 7

5 DATA HANDLING 10

5.1 Check or Create Fleet/Metiers 10

5.2 Import and Data Check 14

5.3 Advanced data check 23

5.4 Delete Import Data 36

5.5 Check Stock Areas 38

5.6 Create and Close Stock and Year 39

5.7 Set Stock and Year/Workingspace 42

5.8 Extract and View Imported Stock/Year Data 45

5.9 Revisions of Previous Years Catches 54

5.10 Raised Discards 61
5.10.1 Discard Group Setup 75

5.11 Manage Allocation Scheme 82

5.12 Setup or Check Allocation Scheme 86
5.12.1 Allocation Group Setup 105

5.1 Calculate Distributions from Allocation Scheme 114

5.2 View Calculated Distributions 117

5.3 Aggregate and Export Stock Data 118

5.4 Data status 129

6 OVERVIEWS 132

6.1 Area list 132

6.2 Hint to see data 133

7 CHANGE LOG 134

1 Introduction

The InterCatch information system is designed as a simplified uniform data handler for fisheries commercial catch data submitted to ICES. InterCatch includes facilities for processing national data, interpolation of missing age or length data and quality checks. This results in input files for fisheries assessment and assessment models, as well as standard tables for working group reports.
InterCatch facilitates stock coordinators in keeping track of the available national data.

Any queries regarding this User Manual can be made to InterCatch Project Manager Henrik Kjems-Nielsen (henrikkn@ices.dk) or InterCatch Data Officer Anna Osypchuk (anna.osypchuk@ices.dk).

2 Information and access

InterCatch is a web based application that can be accessed from:

http://intercatch.ices.dk/login.aspx

The client requirement is an up to date internet browser.

The InterCatch web page can only be accessed by users that are set up as users of InterCatch.

Only catch data files which in the InterCatch Exchange Format can be imported. A description of the format can be downloaded from:

http://www.ices.dk/InterCatch

3 Essential concepts in InterCatch

It is important to understand that in InterCatch there are two basic concepts:

- Stock and Year
- Allocation scheme

Beside these two essential concepts, it is important to know that InterCatch can handle both age and length composition data for a stock. The stock coordinator determined if the imported sampled catch data should be with age or length composition. But there are no age-length-keys in InterCatch this means that, data cannot be converted from e.g. length data to age data. The conversion from length data to age data using age-length-keys have to be done before data are imported into InterCatch

3.1 Stock and Year: 'Trial' or 'Final'

An imported dataset can either, by the user, be set to be a 'Trial' or a 'Final' status. The user has to at all times to specify which Stock and Year, which means, which data set the user wants to work with. The use of the two different Stock and Year/datasets makes it possible to work with two different datasets; a draft and a final set. A data set can either be in Stock and Year 'Trial' (yellow in figure 1) or 'Final' (orange).

Data sets in the Final status cannot be deleted, but improved Trial data can be saved as to overwrite the old Final dataset. See '**Calculate Distributions from Allocation Scheme'**

3.2 Allocation scheme

Another main concept in InterCatch is the possibility to fill in missing age or length data from unsampled catches by an Allocation. Unsampled data can be interpolated with data from sampled, similar data sets. Together with the weighting key (when using more than one data set) this forms the Allocation scheme.

The allocation schemes are direct linked to either the 'Final' or the 'Trial' Stock and Year. This means that if a dataset in the 'Trial' Stock and Year are saved as a 'Final', the 'Final' dataset is overwritten and the linked allocation schemes are also deleted. This means that if stock coordinator has made a allocation scheme in the 'Final' Stock and Year, and want to overwrite it. The stock coordinator has to copy the allocation scheme from 'Final' Stock and Year to 'Trial' Stock and Year, before she overwrites the 'Final' dataset with the 'Trial'.

The stock coordinator can make any number of allocation schemes in both 'Trial' and 'Final' Stock and Year. Of course only ***one*** (the optimal) allocation scheme can be used to calculate the final age or length data for the unsampled catches, which are going to be used in the Virtual Population Analysis or advice. But any number of output calculations from different allocation schemes can be exported out of InterCatch and compared if needed.

3.3 Steps in InterCatch

The InterCatch menu under the menu ‘Data handling’ consist of 14 menu items.

InterCatch functionality consists of 7 main steps:

- 1. Create Fleets/Metiers
- 2. Import and Data Check
- 7. Set Stock and Year/workingspace
- 8. Extract and View imported Stock/Year Data
- 11. Setup or Check Allocation Schemes
- 12. Calculate Distributions from Allocation Scheme
- 14. Aggregate and Export Stock Data

The additional functionalities are:

- 3. Advanced Data Check
- 4. Delete Import Data
- 5. Check Stock Areas
- 6. Create and Close Stock and Year
- 9. Revision of Previous Years Data
- 10. Setup Raised Discards
- 13. View Calculated Distributions

Any numbers of Data Submitter, normally one Data Submitter from each country can import species data into InterCatch. But the Stock coordinator is finally responsible and can have an overview of the data available. Only the stock coordinator can work on Allocation schemes. The format for the files to be uploaded in InterCatch can be found in the Exchange Format manual.


Check or Create Fleets/Métiers
Import and Data Check
Set Stock and Year
Extract Stock Data
Raise Discards
Setup Allocation Schemes
Calculate Distributions from allocation scheme
Aggregation and Export Stock Data
Work Status: Final
Catches refer to fleets/métiers
Catch data file on local PC
Species catch data in InterCatch
Some stock data with-out sample data
Allocation scheme
All stock data with age or length distri-buted data
International stock catch data files download to local workstation
Work Status: Trial
Some stock data with-out sample data
Allocation scheme
All stock data with age or length distri-buted data

7 main steps in InterCatch	1. Check or Create Fleets/Metiers	2. Import and Data Check	7. Set Stock and Year/ Workingspace	8. Extract and View Imported Stock/Year Data	10. Raise Discards	10. Setup or Check Allocation Scheme	11. Calculate Distributions from Allocation Scheme	13. Aggregate and Export Stock Data
Stock and Year must be specified	No	No	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**
Allocation scheme must be specified	No	No	No	No	No	**Yes**	**Yes**	No

Figure 1. Diagram of the seven main steps in InterCatch, where Stock and Year 'Trial' is yellow and Stock and Year 'Final' is orange. The table below shows in which steps it is needed to specify Stock and Year and Allocation scheme.

4 Logging on

Go to the internet page: http://intercatch.ices.dk/login.aspx

To log on to InterCatch the user has to enter a username and a password. A user must first be created in InterCatch, please contact InterCatch Project Manager Henrik Kjems-Nielsen (henrikkn@ices.dk) or InterCatch Data Officer Anna Osypchuk (anna.osypchuk@ices.dk).



The main screen of InterCatch

On the left hand side, log on using your e-mail address and the password received.



The InterCatch interface is divided into 3 parts:

1. Current **Stock and Year**– the **top bar** of the window
2. **Menu** bar– the very **top left part** of the window
3. **Process area** with different windows depending on what is selected in the menu – the **lower part** of the window

Choose your next plan of action by clicking on:

- **Data handling** in the menu. You will see the following menu items


InterCatch - Windows Internet Explorer
http://intercatch.ices.dk/Default.aspx
Google
Favorites
InterCatch
Page
Safety
Tools
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Tuesday, May 31, 2011, 1:53:29 PM
1. Check or Create Fleets/Metiers
2. Import and Data Check
3. Advanced Data Check
4. Delete Import Data
5. Check Stock Areas
6. Create and Close Stock and Year
7. Set Stock and Year/Workingspace
8. Extract and View Imported Stock/Year Data
9. Revisions of Previous Years Catches
10. Setup Unreported Discards
11. Setup or Check Allocation Scheme
12. Calculate Distributions from Allocation Scheme
13. View Calculated Distributions
14. Aggregate and Export Stock Data
nment:
WorkingStatus:
Distribution:
Allocation scheme:
et
Not set
Not set
Not set
earch the site / Contact Us / Disclaimer/ Feedback
© Copyright ICES 2011 All Rights Reserved
http://intercatch.ices.dk/Default.aspx#
Internet
100%

5 Data handling

5.1 Check or Create Fleet/Metiers

Select the first menu item under Data handling.

Before data can be imported, the fleets which the catches relate to must be created a Stock coordinator and it must be checked by the Data submitters that it is created.

Fleets do not belong to a stock or a country as default but if a fleet is stock and/or country specific then it of course can be created for that purpose, and then the fleet name should indicate it and the description should state it clearly, because there is nothing that no functionality that hinders others stocks or countries to use any fleets. This of course also means a fleet, created by a stock coordinator aimed at a specific stock, can also be used by data submitters and stock coordinators for another stock. This means that the fleets are completely

control by the stock coordinators and it is their responsibility. Therefore it is suggested to use fleets which are general and in line with or the same at what is going to be standard under the European Commission's Data Framework. The fleets in InterCatch can be specified to a level equivalent with the European Commission's Data Collection Framework.

The procedure suggested regarding use of fleets is that the Stock coordinators determine which fleet to use for her/his stock agreed by the Data submitters. The Stock coordinators should contact other Stock coordinators which might use the same fleets. Then the Stock coordinators checks if the fleets already exist, if not the Stock coordinators will created the fleets needed. Before the Data submitters are using a fleet name in the imported catch data, the Data submitters will check that the fleets exist if not, the Data submitters should contact the Stock coordinator.


http://intercatch.ices.dk/CS/Data/FleetMaintenance/FleetMaintenanceForm.aspx - Windows Internet Explorer
Range
Vessel Tonnage Min
Vessel Tonnage Max
Engine Size Min.
Engine Size Max.
Fleet List
Show Fleets Used for Selected Stock
All Fleets
View Update Delete OTB- DWS Bottom Otter Trawl [OTB] - Michel Bertignac True - Commercial Fleet NA
View Update Delete OTB-CEP-DEF Bottom otter trawl-Mixed I. Quincoces True - Commercial Fleet NA
View Update Delete OTB-CRUST Bottom otter trawl [OTB]-Crustaceans I. Quincoces True - Commercial Fleet NA
View Update Delete OTB-CRUST-DEF Bottom otter trawl [OTB]-Mixed I. Quincoces True - Commercial Fleet NA
View Update Delete OTB-DEF Bottom otter trawl [OTB]- Demersal I. Quincoces True - Commercial Fleet NA
View Update Delete OTB-DWS-DEF Bottom otter trawl [OTB]-Mixed I. Quincoces True - Commercial Fleet NA
View Update Delete Other Other Ole Henrik Skov True - Commercial Fleet fd
View Update Delete OtherGears Other gears Colm Lordan True - Commercial Fleet NA
View Update Delete other-shrimp Small fresh fish trawlers in near- Sigbjørn Mehl True - Commercial Fleet hf
View Update Delete OTM1-her Celtic Sea herring fleet boats Afra Egan True - Commercial Fleet fd
Close
Done, but with errors on page.
Internet
100%

A fleet is checked by entering the Fleet Maintenance screen, when first entered the screen is empty. In the middle there is a dropdown box ‘Show Fleets Used for Selected Stock’. Here the Data submitters can select the stock they want to import and then a list of all the Fleets which at this time have been referred to by a catch. This means that if nobody has related a catch to a just created Fleet the Data submitters will not see it in the list until the first time somebody have imported a catch, which is referring to the new fleet. Therefore if a Fleet is not found under the stock, then select ‘All Fleets’ in the dropdown box, if the fleet does not appear here the fleet needs to be created.

When creating a fleet not all fields have to be filled in, only the following mandatory fields must be filled in: Fleet Name, Description,Stock Coordinator, Commercial Fleet, Unit Effort and Fleet Type

If a newly created fleet have not been referred to by any imported catches, then the stock coordinator can update any field or delete the fleet.

When a fleet have been referred to by just a single catch, the fleet cannot be deleted and only optional fields can be updated/changed.

The stock coordinator who creates a fleet is the owner of that fleet, this means that if the fleet is used by several stocks, other stock coordinators which also use/ refer to this fleet, cannot update/change the optional fields. Only the stock coordinator who created the fleet can do that.

5.2 Import and Data Check



NOTE: The format for the files to be uploaded in InterCatch can be found in the Exchange Format manual.

If there are corrections to a stratum e.g. catch weight (CATON) or sample data. The corrections should be made in the import file and the file should be imported again with a new file name, it will overwrite the previous imported data. Corrections and imports of the same data can be done any number of times, only the latest imported data will be available for the stock coordinator.

Only if the imported data cannot be overwritten by correct data, the import should be deleted by entering the 'Delete Import Data' page. So if the stratum of the wrong data is not exactly the same as the correct data, then it should be deleted. The stratum refers the combination of; country, year, season, area, fleet, species, catch category and reporting category. The data should be deleted if for example a wrong fleet have been used. Importing the data file with the correct fleet would not overwrite the data connected to the wrong fleet. The data connected to the correct fleet would just be added to all the available data, because it is a different stratum, so it would not overwrite the wrong stratum.

By entering the Import and Data Check field you will enter the main screen:



Please brows to the file which should be imported. Select the data format and press submit to screen the file.

It is also possible to compare the data for a specific species from a year with data from a previous year if you press the link ‘Import overview’ at the bottom of the page. Please see the next page


ICES CIEM
Contact Sitemap FAQ Glossary GroupNet Login Admin
Search Everything
EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY
Data handling Overviews InterCatch- Misc Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:01 April 2014, 16:17:07
Working year: 2014
Data year: 2013
Stock: las-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Select import year: 2013
Select species: COD
Compared year: 2012
Please change the "Compared year" to the year before the import year. Then please press the 3 View buttons for the: Matching, Missing or New strata.
To view all the data just imported for a species please select the same "Compared year" as the "Select import year".
208 matching strata: View
50 missing strata: View
60 new strata: View
Find stratas by keyword
Find
Displaying Matching stratas for 2013- (current) when compared with 2012

Import year sample data	Stratum creation date for import year	Species	Country	Area	Area type	Season	Season type	Catch category	Reporting category	Data To From	Fleet/Metier	CATON for import year in kg	CATON for compared year in kg	CATON difference	Caton difference in Percentage	Import year has sample data	Compared stratum has sampled data	Stratum creation date for compared year	Compared sample data
View	21/03/2014 20:09:17	COD	Denmark	BAL25	SubDiv	1	Quarter	Landings	A All -	-9	Active	1,611,829.000	6,084,036.000	4,472,207	73.51%	☑	☑	20/03/2013 20:15:36	View
View	21/03/2014 20:09:17	COD	Denmark	BAL25	SubDiv	2	Quarter	Landings	A All -	-9	Active	2,093,056.000	3,390,853.000	1,297,797	38.27%	☑	☑	20/03/2013 20:15:36	View
View	22/03/2014 00:55:20	COD	Denmark	BAL24	SubDiv	1	Quarter	Discards	A All -	-9	Active	1,141,324.000	107,379.000	1,033,945	962.89%	☑	☑	20/03/2013 21:24:36	View
View	21/03/2014 20:10:42	COD	Denmark	BAL24	SubDiv	2	Quarter	Landings	A All -	-9	Active	377,907.000	1,195,222.000	817,315	68.38%	☑	☑	20/03/2013 20:13:33	View
	21/03/2014 20:09:17	COD	Denmark	BAL26	SubDiv	1	Quarter	Landings	A All -	-9	Active	807,867.000	129,592.000	678,275	523.39%	☐	☐	20/03/2013 20:15:36	
View	21/03/2014 20:09:17	COD	Denmark	BAL25	SubDiv	4	Quarter	Landings	A All -	-9	Active	431,451.000	1,075,478.000	644,027	59.88%	☑	☑	20/03/2013 20:15:36	View
View	21/03/2014 20:10:42	COD	Denmark	BAL24	SubDiv	3	Quarter	Landings	A All -	-9	Active	323,967.000	777,428.000	453,461	58.33%	☑	☑	20/03/2013 20:13:33	View
View	28/03/2014	COD	Denmark	IIIaN	SubDiv	4	Quarter	Discards	A All -	-9	OTB_CRU_90-119_0_0_all	154.656.000	532.601.000	377.945	70.96%	☑	☑	23/03/2013	View

In this page you can select a year (typically the previous year) and a species, for which you want to compare the imported strata for a species with the strata from a previous year to check that all data/strata have been imported for the current year.

In the overview you can see how many strata which are the same or matching strata from the selected compared year for the species, in this case 208 matching strata. Or how many strata which are missing compared with the compared year, in this case 50. Or how many strata which are new this year, in this case there are 60 new strata. In the table below all the strata for the selected type of strata is shown

When seeing the overview of the matching strata both the current year's CATON and the compared year's CATON are shown. Also the actual difference for CATON and the difference in percentage is shown. It is possible to order the strata according to the difference by clicking the header text in the dark blue header row.

Please click the View button to see missing or new strata.



ICES CIEM

Contact Sitemap FAQ Glossary GroupNet Login Admin Search Everything

EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY

Data handling | Overviews | InterCatch- Misc | Change password

Henrik Kjems-Nielsen LOG OUT

Last updated:01 April 2014, 16:17:07

Working year:	Data year:	Stock:	Assignment:	WorkingStatus:	Distribution:	Allocation scheme:
2014	2013	aas-arct	WG	Trial	Age	Not set

Select import year: 2013

Select species: COD

Compared year: 2012

Please change the "Compared year" to the year before the import year. Then please press the 3 View buttons for the: Matching, Missing or New strata.
To view all the data just imported for a species please select the same "Compared year" as the "Select import year".

208 matching strata: View **50** missing strata: View **60** new strata: View

Find stratas by keyword Find

Displaying **Missing stratas for 2013- (current) when compared with 2012**

Species	Country	Area	Area type	Season	Season type	Catch category	Reporting category	Data To From	Fleet/Metier	CATON for compared year in kg	Compared stratum has sampled data	Stratum creation date for compared year	Compared sample data
COD	Denmark	IV	SubArea	2012	Year	Discards	A All -	-9	OTB_DEF_>=120_0_0_all	181,578	☑	23/03/2013 12:33:54	View
COD	Denmark	IV	SubArea	3	Quarter	Landings	A All -	-9	SSC_DEF_>=120_0_0_all_FDF	107,991	☑	22/03/2013 13:41:51	View
COD	Denmark	BAL26	SubDiv	4	Quarter	Discards	A All -	-9	Active	98,327	☑	20/03/2013 21:14:34	View
COD	Denmark	IV	SubArea	2012	Year	Discards	A All -	-9	OTB_DEF_>=120_0_0_all_FDF	66,314	☑	23/03/2013 12:33:54	View
COD	Denmark	IV	SubArea	2012	Year	Discards	A All -	-9	GNS_DEF_120-219_0_0_all	58,916	☑	23/03/2013 12:33:54	View
COD	Denmark	IV	SubArea	4	Quarter	Landings	A All -	-9	SSC_DEF_>=120_0_0_all_FDF	40,117	☑	22/03/2013 13:41:51	View
COD	Denmark	IV	SubArea	1	Quarter	Landings	A All -	-9	LLS_FIF_0_0_0_all	20,359	☑	22/03/2013 13:41:51	View
COD	Denmark	IIIaN	SubDiv	3	Quarter	Landings	A All -	-9	SSC_DEF_>=120_0_0_all_FDF	18,467	☑	22/03/2013 13:41:51	View

In the example shown above the missing strata are shown.



In the field ‘Select the data format/version’ select:

- InterCatch 1. Version – for commercial catches and sample data
- InterCatch survey and logbook data – for survey and logbook data

InterCatch works with the commercial catches and sample data all functionalities are related to these data.

The survey and logbook data is the tuning fleets (CPUE aggregated data), mean weight in stock (WEST) and maturity (the maturity rate in decimal). These data can be imported under the import pages and be exported under the export page. No handling/manipulation of these data are done in InterCatch, the data is purely imported to complete the stock assessment documentation.

Press ‘Submit’.

When the uploading is completed the next page will appear on your screen:

Press ‘SCREEN DATAFILE FOR ERRORS’

InterCatch will screen the file.

If the checking program has found any errors, these have to be corrected in the file and then the file have to be screened again.

To return to the screening program, press the ‘Back to screening page’ button at the bottom of the in page.

If no errors are found the screen above will appear. Please press the ‘Import data to InterCatch’ button.


ICES
CIEM
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:28 March 2014, 10:01:22
Working year:
Data year:
Stock:
Assignment:
WorkingStatus:
Distribution:
Allocation scheme:
Data have been validated and loaded into the InterCatch database
Below you will see the data you just have imported, but it can be split in 3 categories (Matching, Missing and New) and automatically compared with data from a year (typically data from the year before the import year, please change "Compared Year"). The selected species, for which you see the imported data, is the last species in the file you just imported. So you can check if CATON values and strata (e.g. areas and fleet/metiers) looks ok according to data from previous years imports. Please select and check other species for your country.
Select import year: 2013
Compared year: 2013
Select species: AAS
Please change the "Compared year" to the year before the import year. Then please press the 3 View buttons for the: Matching, Missing or New strata.
To view all the data just imported for a species please select the same "Compared year" as the "Select import year".
15 matching strata: View
No missing strata: View
No new strata: View
Find stratas by keyword
Find
Displaying Matching stratas for 2013- (current) when compared with 2013

Import year sample data	Stratum creation date for import year	Species	Country	Area	Area type	Season	Season type	Catch category	Reporting category	Data To From	Fleet/Metier	CATON for import year in kg	CATON for compared year in kg	CATON difference	Caton difference in Percentage	Import year has sample data	Compared stratum has sampled data	Stratum creation date for compared year	Compared sample data
View	28/03/2014 10:01:18	AAS	UK (Scotland)	IIa	Div	1	Quarter	Landings	R Report	-9	OTB_DEF_80-99_0_0	3,677,000.000	3,677,000.000	0	0.00%	☑	☑	28/03/2014 10:01:18	View
View	28/03/2014 10:01:18	AAS	UK (Scotland)	IIa	Div	2	Quarter	Landings	R Report	-9	OTB_DEF_80-99_0_0	2,935,000.000	2,935,000.000	0	0.00%	☑	☑	28/03/2014 10:01:18	View
View	28/03/2014 10:01:18	AAS	UK (Scotland)	IIa	Div	1	Quarter	Discards	R Report	-9	OTB_DEF_80-99_0_0	858,000.000	858,000.000	0	0.00%	☑	☑	28/03/2014 10:01:18	View
	28/03/2014 10:01:18	AAS	UK (Scotland)	IIa	Div	1	Quarter	Landings	R Report	-9	SDN_DEF_>=120_0_0_all	500,000.000	500,000.000	0	0.00%	☐	☐	28/03/2014 10:01:18	
View	28/03/2014 10:01:18	AAS	UK (Scotland)	IIa	Div	4	Quarter	Landings	R Report	-9	OTB_DEF_80-99_0_0	406,000.000	406,000.000	0	0.00%	☑	☑	28/03/2014 10:01:18	View
View	28/03/2014 10:01:18	AAS	UK (Scotland)	IIb	Div	1	Quarter	Landings	R Report	-9	SDN_DEF_>=120_0_0_all	323,000.000	323,000.000	0	0.00%	☑	☑	28/03/2014 10:01:18	View
	28/03/2014		UK															28/03/2014	

A message at the top of the page will inform the user of status for the import. When the catch data have been imported with no problems the message shown here is displayed.

If an error message is shown please follow the instructions, normally cut the imported file into a much smaller file maybe a few lines and import a few lines. Then add the data lines to the file until you can identify the error, if it is still not possible to identify the error please contact the ICES Secretariat.

5.3 Advanced data check

Menu item: 3. Advanced Data Check



The advanced validation is not needed in the process of producing stock data for the assessment working groups. But it is a useful tool to check if any values are over or under expected limits or out of expected range.

The Advanced validation is a complicated tool which the stock coordinator and data submitter need to spend some time on to able to use it.

In the example shown here two checks are set up for the species anglerfish ‘ANF’ in area ‘IIIa’. The following two checks are set up:

- WECA for **age 3** must be between 800-880 grams
- WECA for **age 4** must be between 900-1100 grams

Entering the Advance validation an overview of existing Check Sets is shown.

By pressing the button ‘Create New Check Set’ a new Check set is created



The progress bar at the top shows how fare in the process of setting up a check the stock coordinator or data submitter is. Press ‘New Dataset’

The Advanced validation tool is looking into all the data imported, this means that first the stock coordinator have to specify which dataset this check should work on referred to as the ‘target dataset’. At the top a dataset name should be given. In the example above the check should only check species data = ‘ANF’ in area= ‘IIIa’. This is set up by in the field called ‘Field’ selecting the field species from the dropdown box in the left of the screen. The fields in the dropdown box are determined by the 3 buttons above, these buttons refer to the fields in the import format, so the species field appears among the field in the dropdown box when selecting the button ‘SI’, look in the import format. Then the species is set equal to by selecting the button ‘Equal To’. Then the species ‘ANF’ is selected in the list to the right. This limitation of the check only looking at the species ‘ANF’ is then added to the selection criteria by pressing ‘Add selection’. More selection criteria can be defined. Finally the target dataset is saved by pressing ‘Save dataset’.



The target dataset is now saved. If the check needs to be more specific, which means more limits should be added to the target dataset criteria definition, then press ‘Edit’, other continue by pressing ‘Next’.



When entering the Check Set Creation Module an overview of the created checks are shown. Click ‘New Check’ to set up a new check.



This screen is similar to the one when setting up which target dataset is shown. Here a subset of the target dataset can be defined. Now it is defined that the following check only must be applied to sample data for age 3. Press ‘Next’.



Here the check is set up. It is defined that the WECA (WeightLanded) must be between 800 and 880 gram is default, otherwise this check should give a warning and specify which strata that did not pass this check.



The specific check should be given a name and saved by ‘Save’.



Another check set up exactly in the same way, just for age 4 with WECA range 900-1100 have been set up. Above are the two checks shown. No more checks are set up therefore ‘Next’ is pressed.



The set up check set should be given a describing name for the two checks. What is entered into the Title is what is shown on the list of Available Check Sets. Remember to press ‘Save Check Set’

IMPORTANT: When updating a check that is adding, changing or removing anything, nothing is saved until the button ‘Save Check Set’ here is pressed.

The two WECA checks for age 3 and 4 for anglerfish in area IIIa have been set up, see the Check Set ‘Ang in IIIa WECA check for age 3 and 4’

To execute the Check set with the two checks press ‘Execute’



The result of the executed Check Set shows that for both checks, the one for age 3 and also for age 4 both had stratas which fell outside the specified WECA ranges. Press the '+'sign for each of the checks to see the stratas.

The shown stratas fell outside the specified WECA range checks. To see the actual value, note the strata or take a screen copy and go to the ‘Transform to Stock’ in the menu

5.4 Delete Import Data

Menu item: 4. Delete Import Data



Wrong imported data can be deleted. By wrong data is meant data which cannot just be overwritten by the right catch data. E.g. catch data for a wrong species or country which does not have any catches in that area or quarter. That is data which cannot be overwritten by the correct data because that country or fleet does not have any catches in that area or quarter or for that catch category. The Data submitter or Stock coordinator can delete the wrongly imported data.

In the ‘Role & Stock’ dropdown box the user can select which role and stock the user want to view data for. Normally the user is either Data submitter or

Stock coordinator for one stock. But it could be that the user is Data submitter for two stocks and Stock coordinator for a third stock, in that case all three combinations of roles and stocks are listed. This helps the user to view only the imported data for the stock to which there was a wrongly imported catch data.

If a small button with a plus '+' sign is shown to most the left of a catch data line, that indicate that the catch has been sampled, and therefore that there are age or length distributed/composition data. Where there is no small button with a plus '+' sign there is only a catch CATON. For each catch line there are two buttons 'Delete Catch and Sample Data' and 'Delete Only Sample Data'. If the button 'Delete Only Sample Data' is pressed for data line with only a catch, a message at the top saying no sample data attached. Remember to only use 'Delete Catch and Sample Data' for data which cannot be overwritten by the correct catch data. This is important because the Data submitters and Stock coordinators should only use this screen when data cannot be overwritten, to reduce the chance of deleting by mistake. Deleting a catch or sample data are not actually deleting data the screen only marks all data belonging to this specific catch as deleted, and the data will not be used any further by InterCatch.

If the Stock coordinator believes that the sample data for a specific catch are so bad, that it is better to remove the sample data from the catch, and then allocate other sample data to the catch. Then the Stock coordinator can press the button 'Delete Only Sample Data'.

5.5 Check Stock Areas

Menu item: 5. Check Stock Areas

http://intercatch.ices.dk/CS/Data/Reports/StrataDefinitionStockList.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Data handling > 5. Check Stock Areas Henrik Kjems-Nielsen
Log out
Working year: Not set
Data year: Not set
Stock: Not set
Assignment: Not set
WorkingStatus: Not set
Distribution: Not set
Allocation scheme: Not set
Stock list
her-irls HER VIIg Celtic Sea and Division VIIj herring
her-irls HER VIIh Celtic Sea and Division VIIj herring
her-irls HER VIIj Celtic Sea and Division VIIj herring
her-irls HER VIIk Celtic Sea and Division VIIj herring
her-irls HER VIIaS Celtic Sea and Division VIIj herring
her-irlw HER VIIb Herring in Divisions VIa (South) and VIIb
her-irlw HER VIIc Herring in Divisions VIa (South) and VIIb
her-irlw HER VIaS Herring in Divisions VIa (South) and VIIb
her-irwa Not set Not set Herring autumn spaw. West of Ireland & Porc. Bank (Area VIa South)
her-irws Not set Not set Herring spring spaw. West of Ireland & Porc. Bank (Area VIa South)
her-is Not set Not set Herring in the North Irish Sea (New)
her-kask HER Not set Herring in the Kattegat and Skagerrak (Fishing Area IIIa)
her-manx Not set Not set Herring Manx Stock
her-mour Not set Not set Herring Mourne Stock
her-nirs HER VIIa Irish Sea herring (Division VIIa)
her-nirs HER VIIaN Irish Sea herring (Division VIIa)
her-noss HER I Norwegian spring-spawning herring
her-noss HER II Norwegian spring-spawning herring
her-noss HER IIb Norwegian spring-spawning herring
her-noss HER Vb Norwegian spring-spawning herring
her-noss HER Vb1 Norwegian spring-spawning herring
her-noss HER IIaX Norwegian spring-spawning herring
her-noss HER IIaI Norwegian spring-spawning herring
Done, but with errors on page.
Internet
100%

It is important that the stock coordinator check the Stock Areas for the stocks used. In the list all combinations of species and areas which define the stocks are shown. It is important that all areas for at stock is in the list. Because the 'Extract and View Imported Stock/Year Data' uses this list to extract all combinations of imported species and areas to include in the stock data. So if an area is missing imported catches for that area will not be included in the stock data, for further work in InterCatch. If an area is missing or a wrong area is set up for a stock please contact the ICES Secretariat.

5.6 Create and Close Stock and Year

Menu item: 6. Create and Close Stock and Year

http://intercatch.ices.dk/CS/Data/WorkingSpace/AssignmentList.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Data handling > 6. Create and Close Stock and Year Henrik Kjems-Nielsen
Log out
Working year: Data year: Stock: Assignment: WorkingStatus: Distribution: Allocation scheme:
Not set Not set Not set Not set Not set Not set Not set
Existing Stock and Year
Edit 2009 WG 2008 bsf-89 Age Open Maria Zarecki
Edit 2009 WG 2008 bsf-rest Age Open Maria Zarecki
Edit 2009 WG 2008 bsf-soth Age Open Maria Zarecki
Edit 2009 WG 2008 cap-bars Age Open Henrik Kjems-Nielsen
Edit 2009 WG 2008 anp-8c9a Lngt Open Henrik Kjems-Nielsen
Edit 2009 WG 2008 arg-icel Age Open Maria Zarecki
Edit 2009 WG 2008 arg-rest Age Open Maria Zarecki
Edit 2009 WG 2008 bli-5a14 Age Open Maria Zarecki
Edit 2009 WG 2008 bli-5b67 Age Open Maria Zarecki
Edit 2009 WG 2008 bli-comb Age Open Maria Zarecki
Edit 2010 WG 2009 ang-kask Age Open Henrik Kjems-Nielsen
Close
Add new
back to top
Done
Internet
100%

Before selecting the stock and current year, for which the stock coordinator want to work, the current Stock and Year have to be created. That can be done by pressing the ‘Add new’.

When an assessment have been through a review and there is no changes to imported data or allocation setup, the stock coordinator must close the Stock and Year so no changes can be made by accident. That is done by pressing ‘Edit’ next to the Stock and Year, which should be closed.

Fill in the fields. Assignment must always be ‘WG’ for working group. Press ‘Create’ to create the record. Which now makes it possible for the stock coordinator to select the just created Stock and Year.

When the stock assessment has been accepted after the review group has gone through the assessment, the stock coordinator must go in under ‘6. Create and Close Stock and Year’ and close the particular Stock and Year. That is done by pressing the ‘Edit’ button next to the Stock and Year in the ‘Existing Stock and Year’overview. This will mean the stock coordinator by mistake cannot change data under that Stock and Year. If revisions are done in a following year the original data are still saved.

5.7 Set Stock and Year/Workingspace

Menu item: 7. Set Stock and Year/Workingspace

Marked the Stock and Year you want to work with, then press ‘OK’

InterCatch is connected to a database, which contains catch data for all the imported species. Therefore the user has to specify which data the user wants to work with. This is done by ‘Change workspace’. The ‘Current Stock and Year’ to the left, will be updated after the selected combination of stock, working year etc.

From this point onwards, InterCatch is relevant for the stock coordinator.

The screen shows the Stock and Years which the user can work with. If no records are shown for current year. Please press the button ‘Create Stock and Year’ or enter the menu ‘6. Create and Close Stock and Year‘. The following explain the fields in the Stock and Year.

Working year: The current year where the work with the stock data are carried out.
Data year: The year of the data.
Stock: The stock code.
Assignment: The data can be assigned to a Working Group (WG) or Fast Track (FT) procedure.
WorkingStatus: Either ‘Trial’ or ‘Final’. All calculated results from InterCatch default goes into ‘Trial’ status. The first thing the stock coordinator does is to finalise the data/results if it is correct. At least remember to finalise the calculated distributions data to ‘Final’ status. Because only data in ‘Final’ status can be export.
If the data are correct but you wish to make a new ‘Allocation scheme’, you can stay in the ‘Final’ status, and make any number of extra Allocation schemes.
If using both Trial and Final status:
If there are more data to import or when data have been changed, the new data can be imported in the ‘Trial’ status without affecting the already prepared ‘Final’ data set.
If the new version of data is an improved version of the ‘Final’ data, you can overwrite the first ‘Final’ version.
Distribution: Catch numbers can either be age or length based.

After the Stock and Year have been selected the top Stock and Year-bar will automatically updated accordingly.

If the user want to look into data from previous years assessment, please select the Working year in the dropdown box in the top left corner. Then Stock and years for the selected working year is shown below.

Managing Allocations schemes is also done from this page.

First time entering this screen only Stock and Year ‘Trial’ is present. The screen only shows Stock and Year where there is a relating dataset. When the user have finalised the trial at any point then, the only a ‘Final’ Stock and Year is shown until the user makes an Extract and View Imported Stock/Year Data. Then the just extracted data is kept in Stock and Year ‘Trial’. Then the stock coordinator can choose which of the two ‘Trial’ or ‘Final’ Stock and Year/dataset the user what to work with.

When having selected a Stock and Year, the user is automatically given the possibility to select an allocation scheme. When doing an Extract and View Imported Stock/Year Data it is not needed to specify an allocation scheme. That is first needed when setting up Allocation schemes or using an allocation scheme for calculating distribution age or length data for unsampled catches.



After the Stock and Year have been marked and you have pressed ‘OK’ the page above appears:

Note that your current Stock and Year is at the top is updated.

5.8 Extract and View Imported Stock/Year Data

Menu item: 8. Extract and View Imported Stock/Year Data

Transform to Stock extracts and shows all imported data that relate to the selected Stock and Year, which means stock, year (catch year) and distribution age or length.

http://intercatch.ices.dk/CS/Data/StockTransformation/StockTransformationIndex.aspx - Windows Internet Explorer
Data Centre - InterCatch
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Data handling > 8. Extract and View Imported Stock/Year Data
Henrik Kjems-Nielsen
Log out
Working year: | Data year: | Stock: | Assignment: | WorkingStatus: | Distribution: | Allocation scheme:
2010 | 2009 | ang-kask | WG | Trial | Age | Not set
Extract stock data from imported species data
Please press 'Extract' to find out if any catch data have been imported.
Please press the 'Extract' button every time you enter InterCatch until all catch data have been imported. Pressing the 'Extract' button will make InterCatch extract all Imported catches. So you will see all previous catch data you see now plus eventually new imported catch data. So by pressing the 'Extract' button you can check if new catches have been imported since last time you pressed the 'Extract' button. This page is the overview of imported catches. So to find out what have been imported until now, you have to press the 'Extract' button. By pressing the Extract button you transform the imported species catches to stock catches. The Extract button can be pressed any number of times. So new catch data will be added to previous the overview.
Extract
Close
back to top
Search the site / Contact Us / Disclaimer/ Feedback
© Copyright ICES 2008 All Rights Reserved
Done
Internet
100%

When you enter ‘Extract and View Imported Stock/Year Data’ for the first time, the message ‘There are currently no transformed data for the current Stock and Year’ appears. Otherwise it reads ‘Extract stock data from the imported species data’.

The stock coordinator can click ‘Extract’ at all time to see what data have been imported. When all the species data have been imported click the ‘Extract’ button, to extract all the imported species data into your stock data.

‘Extract and View Imported Stock/Year Data’ simply looks into all data in the database and takes species and area data, which together make up the stock you have selected in your Stock and Year. The list of combinations of species and area by which the stocks are defined can be viewed under the menu ‘Overviews’, ‘Definitions’ and ‘Stock list’. If you have selected ‘Current Stock and Year’ cod-nsea (Cod in the North Sea) and year 2008 (data catch year) all data which match the year and the species and the area combination, which can be seen in the ‘5. Check Stock Areas’, are extracted into the Stock and Year dataset. Therefore, stock coordinators can make this ‘Extract and View Imported Stock/Year Data’ to see which data there have been imported so far, and which are missing. When all data are imported, the ‘Extract and View Imported Stock/Year Data’ should be executed to extract all the imported data into the Stock and Year dataset, which the stock coordinator can continue to work with. Then the stock coordinator can set up allocation schemes, aggregate and export the final stock data.

Each time you press the ‘Extract’ button in the ‘Extract and View Imported Stock/Year Data’ page the latest imported data (species and area) are extracted to the to the Stock and Year dataset and hereby overwrites if any dataset with ‘Trial’ for the specific selected Stock and Year.

Only the stock coordinator can make this extraction of data. The reason for this manually control of when the Stock and Year dataset is updated, is simply to ensure that the stock coordinator has full control over use and extractions of data. If a national data submitter imports an updated version of national catch data. The Stock and Year dataset and ongoing allocations and calculations are not affected. The stock coordinator can then decide to ignore the new data or update the dataset by clicking ‘Extract’.

NOTE: this procedure can only be executed by the Stock coordinator.

If you click ‘Extract’ the following page appears


ICES CIEM
Contact Sitemap FAQ Glossary GroupNet Login Admin
Search Everything
EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY
Data handling Overviews InterCatch- Misc Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:01 April 2014, 16:10:06
Working year: Data year: Stock: Assignment: WorkingStatus: Distribution: Allocation scheme:
2014 2013 aas-arct WG Trial Age Not set
Selected stock data
You can choose which data to finalize by selecting/deselecting data from the list.
Status: Trial
Distribution: Age
Compare with previous year datasets
Stock Year Season Area Country Catch kg Catch cat. Report cat. Fleet Effort Eff. unit Misrep. to Area Auto Misrep. from Areas Discards Imported Or Raised
aas-arct 2013 2013 Year IIa DK 1200000 Landings R - Rep GNS_DEF_>=100_0_0 800 kWd Imported Data
aas-arct 2013 1 Quarter IIa UKS 3677000 Landings R - Rep OTB_DEF_80-99_0_0 1000 NA Imported Data
aas-arct 2013 1 Quarter IIa UKS 858000 Discards R - Rep OTB_DEF_80-99_0_0 1000 NA Imported Data
aas-arct 2013 1 Quarter IIa UKS 500000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2013 1 Quarter IIb UKS 323000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2013 2 Quarter IIb UKS 91000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 111000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 2935000 Landings R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 111000 Discards R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
Keep as trial
Finalize

Here you can see all the imported data so far. The small button with a '+' sign to the left of some data lines are indicating that the catch has been sampled, and therefore have an age or length distribution. The age or length distribution can be seen by pressing the plus sign.

Click the button 'Keep as trial' or 'Finalize'. If you want to work the just extracted data you press 'Finalize'. But you can also leave the data as a trial data set.

You can compare the current data with data from a previous year if you press the button 'Compare with previous year datasets' at the top of the page in the box with status and distribution. Please see the next page



In this page you can select a year and the working status, typically the previous year and working status Final, which you want to compare the current data with. In

In the overview you can see how many strata which are the same or matching strata from the selected compared year, in this case 13 matching strata. Or how many strata which are missing compared with the compared year, in this case 9. Or how many strata which are new this year, in this case there are 5 new strata.

To see the strata please click the View links, which will show the selected strata in a new page.



ICES CIEM

Contact Sitemap FAQ Glossary GroupNet Login Admin Search Everything

EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY

Data handling | Overviews | InterCatch- Misc | Change password

Henrik Kjems-Nielsen LOG OUT
Last updated:01 April 2014, 16:13:04

Working year:	Data year:	Stock:	Assignment:	WorkingStatus:	Distribution:	Allocation scheme:
2014	2013	aas-arct	WG	Trial	Age	Not set

Missing stratas for 2013- Trial(current) if compared with 2012-Final

Back to compare page

Stock	Country	Area	Area type	Catch cat.	Fleet	DataToFrom	Report cat. Compared	Season. Compared	Season type Compared	Compared CATON	Compared stratum has sampled data
aas-arct	UK (Scotland)	IIa	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Year	2012	197,000.000	☑
aas-arct	UK (Scotland)	IIa	Div	Discards	OTB_DEF_80-99_0_0	-9	R Report	Quarter	4	15,625.851	☐
aas-arct	UK (Scotland)	IIb	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	1	12,431.404	☐
aas-arct	UK (Scotland)	IIa	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	4	7,582.002	☐
aas-arct	UK (Scotland)	IIb	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	4	6,696.793	☐
aas-arct	UK (Scotland)	IIa	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	2	4,272.092	☐
aas-arct	UK (Scotland)	IIb	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	2	3,502.346	☐
aas-arct	UK (Scotland)	IIa	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	1	1,924.366	☐
aas-arct	UK (Scotland)	IIa	Div	Discards	SDN_DEF_>=120_0_0_all	-9	R Report	Quarter	3	1,154.620	☐

Back to compare page

In the above shown example the missing strata are shown.

When seeing the overview of the matching strata both the current year's CATON and the compared year's CATON are shown. Also the actual difference for CATON and the difference in percentage is shown. It is possible to order the strata according to the difference by clicking the header text in the dark blue header row.


http://intercatch.ices.dk/CS/Data/StockTransformation/StockTransformationIndex.aspx?blnUpdateLe - Windows Internet Explorer
Favorites
Google
Gmail
ICES - CIEM
ICES SharePoint Mainpage
InterCatch New Prod
InterCatch Dev Datras
Page
Safety
Tools
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Data handling > 8. Extract and View Imported Stock/Year Data
Henrik Kjems-Nielsen
Log out
Working year:
Data year:
Stock:
Assignment:
WorkingStatus:
Distribution:
Allocation scheme:
2010
2009
ang-kask
WG
Trial
Age
Not set
Extract stock data from imported species data
Below is a SNAPSHOT of imported and transformed data LAST TIME the Extract button was pressed.
Please press 'Extract' to also see new imported catch data.
Status 'Trial' and 'Final' are two independent datasets. But when all data have been imported the whole 'Trial' catch dataset should be Finalised.
Stock
Status
Creation date
ang-kask
Trial
1/27/2010 14:41
View
Please press the 'Extract' button every time you enter InterCatch until all catch data have been imported. Pressing the 'Extract' button will make InterCatch extract all Imported catches. So you will see all previous catch data you see now plus eventually new imported catch data. So by pressing the 'Extract' button you can check if new catches have been imported since last time you pressed the 'Extract' button. This page is the overview of imported catches. So to find out what have been imported until now, you have to press the 'Extract' button. By pressing the Extract button you transform the imported species catches to stock catches. The Extract button can be pressed any number of times. So new catch data will be added to previous the overview.
Extract
Close
back to top
Search the site / Contact Us / Disclaimer/ Feedback
© Copyright ICES 2008 All Rights Reserved
Internet
100%

In the screen above only a ‘Trial’ dataset have been created. When pressing the button ‘ View’ and then pressing the button ‘Finalize’ in the next page, the ‘Trial’ dataset is converted to a ‘Final’ dataset.

If the user instead presses ‘Extract’ again, InterCatch will extract all the imported stock data into the ‘Trial’ dataset and overwrite the already existing ‘Trial’ dataset. This can be done any number of times, to check what catch data have been imported so far. The stock coordinator should press this button regularly to see when all catch data for the specific stock have been imported. When all data have been imported the data should be finalised.

http://intercatch.ices.dk/CS/Data/StockTransformation/StockTransformationIndex.aspx?blnUpdateLe - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Data handling > 8. Extract and View Imported Stock/Year Data
Henrik Kjems-Nielsen
Log out
Working year:
Data year:
Stock:
Assignment:
WorkingStatus:
Distribution:
Allocation scheme:
2010
2009
ang-kask
WG
Trial
Age
Not set
Extract stock data from imported species data
Below is a SNAPSHOT of imported and transformed data LAST TIME the Extract button was pressed.
Please press 'Extract' to also see new imported catch data.
Status 'Trial' and 'Final' are two independent datasets. But when all data have been imported the whole 'Trial' catch dataset should be Finalised.
Stock
Status
Creation date
ang-kask
Trial
1/27/2010 14:41
View
Please press the 'Extract' button every time you enter InterCatch until all catch data have been imported. Pressing the 'Extract' button will make InterCatch extract all Imported catches. So you will see all previous catch data you see now plus eventually new imported catch data. So by pressing the 'Extract' button you can check if new catches have been imported since last time you pressed the 'Extract' button. This page is the overview of imported catches. So to find out what have been imported until now, you have to press the 'Extract' button. By pressing the Extract button you transform the imported species catches to stock catches. The Extract button can be pressed any number of times. So new catch data will be added to previous the overview.
Continuing will overwrite the trial data! The allocation schemes connected to the trial dataset will be lost. To prevent this you should finalize first.
Continue and overwrite trial data
Cancel
back to top
Done
Internet
100%

Here you decide whether you want to overwrite your trial data set. If you do not want to overwrite press ‘Cancel’. It is not possible to extract imported data directly into the ‘Final’ Stock and Year.

After the screen above the details of all the imported data are shown, see 3 screens before with the header text ‘Selected stock data’. The user is again asked if the user wants to keep the new extracted dataset in ‘Trial’ Stock and Year or if it should be ‘finalised’, which means put into ‘Final’.

You can at any time finalise your ‘Trial’ dataset. To finalize your ‘Trial’ data set, click ‘View’ for the ‘Trial’ data set, you will return to the screen with an overview of all the imported data and there ‘Finalize’ your data.


http://intercatch.ices.dk/CS/Data/StockTransformation/Transfor
ices.dk
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:03 May 2013, 13:07:19
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Selected stock data
You can choose which data to finalize by selecting/deselecting data from the list.
Status: Trial
Distribution: Age
Stock Year Season Area Country Catch kg Catch cat. Report cat. Fleet Effort Eff. unit Misrep. to Area Auto Misrep. from Areas Discards Imported Or Raised
aas-arct 2012 1 Quarter IIa UKS 858000 Discards R - Rep OTB_DEF_80-99_0_0 1000 NA Imported Data
aas-arct 2012 1 Quarter IIa UKS 50000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2012 1 Quarter IIb UKS 323000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2012 2 Quarter IIb UKS 91000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2012 2 Quarter IIa UKS 111000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2012 2 Quarter IIa UKS 2935000 Landings R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
aas-arct 2012 2 Quarter IIa UKS 111000 Discards R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
aas-arct 2012 2012 Year IIa UKS 197000 Discards R - Rep SDN_DEF_>=120_0_0_all -9 NA Imported Data
Unreported Discards have been set up the current Final dataset. You can copy these setups to the new Final (current trial) dataset or continue without copying. Choose "Copy discard setups" to copy the exiting setups to the new one or choose "Continue" to extract without copying. press Continue. Note:All previous discards setups in the current trial wil be permanently lost replaced by the ones in the current final dataset
Copy discard setups
Continue without copying
100%

If new data imports have been made to update catches and/or age or length distribution data or new strata have been imported. Then you need to make a new extract to get hold of the latest newly imported data and finalise, the ‘Trail’ dataset. But if there already exist a ‘Final’ dataset with raised discards you will be asked if you want to copy the existing ‘Final’ discard setups, that also include the Discard Groups. If you have not setup the raised discard in a proper way, or you regret you have raised discard for every single landing strata, then you press.’Continue without copying’. Otherwise you press ’Copy discard setups’ and copy your work to the new ‘Final’ dataset.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:01 April 2014, 15:18:39
Working year: 2014
Data year: 2013
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Demo1
Selected stock data
You can choose which data to finalize by selecting/deselecting data from the list.
Status: Trial
Distribution: Age
Compare with previous year datasets
Stock Year Season Area Country Catch kg Catch cat. Report cat. Fleet Effort Eff. unit Misrep. to Area Auto Misrep. from Areas Discards Imported Or Raised
aas-arct 2013 2013 Year IIa DK 1200000 Landings R - Rep GNS_DEF_>=100_0_0 800 kWd Imported Data
aas-arct 2013 1 Quarter IIa UKS 3677000 Landings R - Rep OTB_DEF_80-99_0_0 1000 NA Imported Data
aas-arct 2013 1 Quarter IIa UKS 858000 Discards R - Rep OTB_DEF_80-99_0_0 1000 NA Imported Data
aas-arct 2013 1 Quarter IIa UKS 500000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2013 1 Quarter IIb UKS 323000 Landings R - Rep SDN_DEF_>=120_0_0_all 25 NA Imported Data
aas-arct 2013 2 Quarter IIb UKS 91000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 111000 Landings R - Rep SDN_DEF_>=120_0_0_all 50 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 2935000 Landings R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
aas-arct 2013 2 Quarter IIa UKS 111000 Discards R - Rep OTB_DEF_80-99_0_0 800 NA Imported Data
There exist Allocation schemes for the previous final data. Please select your choice below:
Continue and keep previous Final Allocation schemes
Continue Extracting Without copying Final Allocation schemes
Cancel Finalisation of trial data

If allocations for unsampled catches also have been setup in the existing 'Final' data set, you are also asked if you want to copy and keep the allocations or continue without. Again if Allocation Groups have been setup these will also be copied.

Be aware that finalising a large stocks, for which raised discards and all unsampled strata have allocations, this process can take long time, just leave the browser, until you have a response from InterCatch

5.9 Revisions of Previous Years Catches

Menu item: 9. Revisions of Previous Years Catches


Set/Change StockAndYear - Windows Internet Explorer
http://intercatch.ices.dk/CS/data/WorkingSpace/WorkingSpaceSelector.aspx?enmRedirect=Revision&wmi=1
Favorites
Set/Change StockAndYear
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Tuesday, January 25, 2011, 4:01:29 PM
Working year: Data year: Stock: Assignment: WorkingStatus: Distribution: Allocation scheme:
2010 2009 ang-kask WG Trial Age Not set
Please select a StoackAndYear where working year is current year, to be able to revise previous years data!
Select Working year: 2011
Show stock and year from:
Selected year All years
Create new StockAndYear for current year
Please select stock and year:
WorkingYear Assignment Year Stock CANUMType WorkingStatus
2011 WG 2010 aas-arct Age Final
2011 WG 2010 alf-comb Age Trial
2011 WG 2010 anb-78ab Age Trial
2011 WG 2010 ane-bisc Age Trial
2011 WG 2010 ang-kask Age Trial
2011 WG 2010 anp-8c9a Lngt Trial
Select Allocation Scheme:
There are no applyscheme available for selected workingspace.
Manage Allocation Schemes
Cancel
OK
back to top
Done
Internet
100%

Revision of previous years catch data can be done without going into each specific year for the stock (Stock and Year). The stock coordinator only has to select the Stock and Year for the current working year. Otherwise the stock coordinator is redirected to select the Stock and Year for the current working year.

The revision is independent of the working status of the selected ‘Stock and Year’. The revision functionality always makes revisions in a previous year’s ‘Final’ working status.

After setting the Stock and Year go to menu item: 9. Revisions of Previous Years Catches



In the drop down box, the **data** year which needs to be revised is selected and the button 'Revise catches' is pressed. Be aware that it is the year of which the data comes from, which should be selected, not the year of the assessment/working year.

If there is no data for the selected year a pop up message will tell this.


http://intercatch.ices.dk/CS/Data/Revision/Revision.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Tuesday, January 25, 2011, 4:02:11 PM
Working year: 2011
Data year: 2010
Stock: ang-kask
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Revision data year: 2005
Revise catches
Stock | Season | Country | Area | Report cat. | Catch cat. | Catch kg. | Fleet
ang-kask | 1 Quarter | Denmark | IIIa | A -All | Landings | 1,500 | TestD | Revise CATON
ang-kask | 1 Quarter | Denmark | IIIa | A -All | Landings | 1,496 | Bottom trawl | Revise CATON
ang-kask | 2 Quarter | Denmark | IIIa | A -All | Landings | 130 | Bottom trawl | Revise CATON
ang-kask | 3 Quarter | Denmark | IIIa | A -All | Landings | 500,000 | Other | Revise CATON
ang-kask | 4 Quarter | Denmark | IIIa | A -All | Landings | 906 | Other | Revise CATON
back to top
Done
Internet
100%

When the ‘Revise catches’ have been pressed. The screen above will be shown.

A plus ‘+’ sign in the first column is shown it is indicating that a revision have been made for that stratum.

In these screen all catches for the selected ‘Revision data year’ is shown, both catches which was imported with and without sample data.

Press ‘Revise CATON’ next to the catch, which should be revised



Enter the new revised catch weight/CATON in the field ‘Revise CATON’. Please add a comment, which explains from who and why this revision was made, so it is understandable for a person years later. Then press ‘Save changes’.

The CATON will be revised, and the numbers at age or length will also automatically be revised according to the increased or decreased ratio in revised CATON. All previous values are saved.

Revision of catches originally imported with sample data
For revision of CATON which originally was imported with sample data, a check box next to the Revised CATON is shown, with the text ‘Manually revise CANUM and WECA. By checking the check box the stock coordinator is given the possibility to manually revise the numbers and mean weights at age or length, see the following page.

If the updated catch is allocated to unsampled catches then the numbers at age or length for these unsampled catches are recalculated using the new revised CATON.

A pop up window with a text describing the above text will appear.


http://intercatch.ices.dk/CS/Data/Revision/Revision.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Thursday, January 27, 2011, 11:38:01 AM
Working year: 2011
Data year: 2010
Stock: ang-kask
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Stock: ang-kask
Season: 1 Quarter
Country: Denmark
Area: IIIa
Report cat. A -All
Catch cat. Landings
Catch kg. 1,570
Revise CATON: 1,550
Numbers at age will automatically be updated according to the new revised CATON. In case new information about Numbers and/or Mean wwights at age or length have been found. These data can be manually edited by checking the check box below"
Manually revise CANUM and WECA
Comments: Correction from xxx from DK
Repeater1:
Age or length | Sex | Numbers(CANUM) | Mean weight in gram(WECA)
3 | Undetermined | 243.4138 | 821.0
4 | Undetermined | 802.7476 | 1020.0
5 | Undetermined | 222.6977 | 1410.0
6 | Undetermined | 68.3630 | 2180.0
7 | Undetermined | 11.3938 | 3220.0
8 | Undetermined | 8.0 | 7040.0
9 | Undetermined | 6.0000 | 8620.0
10 | Undetermined | 3.0000 | 12600.0
Save changes
Cancel
back to top
Done
Internet
100%

The numbers and mean weights at age or length shown are revised according to the just entered revised CATON.

Any of the numbers and mean weights at age or length can be manually changed, but no automatically adjustments are made. This means the stock coordinator have to be sure of the entered values, otherwise a sum of products (SOP) errors can be introduced.

After the values are changed the button ‘Save changes’ is pressed.


http://intercatch.ices.dk/CS/Data/Revision/Revision.aspx - Windows Internet Explorer
http://intercatch.ices.dk/CS/Data/Revision/Revision.aspx
Google
Favorites
http://intercatch.ices.dk/CS/Data/Revision/Revision.a...
Page
Safety
Tools
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Tuesday, January 25, 2011, 4:10:59 PM
Working year: 2011
Data year: 2010
Stock: ang-kask
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Revision data year: 2005
Revise catches
Stock Season Country Area Report cat. Catch cat. Catch kg. Fleet
ang-kask 1 Quarter Denmark IIIa A -All Landings 1,500 TestD Revise CATON
ang-kask 1 Quarter Denmark IIIa A -All Landings 1,550 Bottom trawl Revise CATON
ang-kask 2 Quarter Denmark IIIa A -All Landings 130 Bottom trawl Revise CATON
ang-kask 3 Quarter Denmark IIIa A -All Landings 500,000 Other Revise CATON
ang-kask 4 Quarter Denmark IIIa A -All Landings 906 Other Revise CATON
back to top
Done, but with errors on page.
Internet
100%

When a CATON have been revised a '+' sign is shown in the first column of the row for the revised CATON strata. This indicates that the stratum at one point has been revised.

http://intercatch.ices.dk/CS/Data/Revision/Revision.aspx - Windows Internet Explorer
ICES CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Tuesday, January 25, 2011, 4:10:59 PM
Working year: 2011
Data year: 2010
Stock: ang-kask
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Revision data year: 2005
Revise catches
Stock | Season | Country | Area | Report cat. | Catch cat. | Catch kg. | Fleet
ang-kask | 1 Quarter | Denmark | IIIa | A -All | Landings | 1,500 | TestD | Revise CATON
ang-kask | 1 Quarter | Denmark | IIIa | A -All | Landings | 1,550 | Bottom trawl | Revise CATON
Old caton | user | date changed | Comments | Age data Manually updated
1,496 | Henrik Kjems-Nielsen | 1/25/2011 4:09:51 PM | Correction from xxx from DK
Age or length | Sex | Previous CANUM | CANUM | Previous Mean weight | Mean weight
3 | Undetermined | 235.0000 | 243.4138 | 821.00 | 821.00
4 | Undetermined | 775.0000 | 802.7476 | 1,020.00 | 1,020.00
5 | Undetermined | 215.0000 | 222.6977 | 1,410.00 | 1,410.00
6 | Undetermined | 66.0000 | 68.3630 | 2,180.00 | 2,180.00
7 | Undetermined | 11.0000 | 11.3938 | 3,220.00 | 3,220.00
8 | Undetermined | 1.9000 | 1.9680 | 7,040.00 | 7,040.00
9 | Undetermined | 0.2110 | 0.2186 | 8,620.00 | 8,620.00
10 | Undetermined | 0.2110 | 0.2186 | 12,600.00 | 12,600.00
ang-kask | 2 Quarter | Denmark | IIIa | A -All | Landings | 130 | Bottom trawl | Revise CATON
ang-kask | 3 Quarter | Denmark | IIIa | A -All | Landings | 500,000 | Other | Revise CATON
ang-kask | 4 Quarter | Denmark | IIIa | A -All | Landings | 906 | Other | Revise CATON
back to top
Done, but with errors on page.
Internet
100%

When clicking the '+' sign a sub table appears, which shows the history of catch revisions for the strata. The previous CATON value is shown together with the name of the person, who changed it and the date and time of the change.

If the revised catch have sample data, another '+' sign is shown next to history record. When pressing the '+' sign a sub table appears, which shows the calculated revised CANUM values for each distribution unit age or length.

5.10 Raised Discards

Raised Discards only raises/calculate the **discard weight** at this stage. The discards' age or length distribution is allocated in menu '11. Setup or Check Allocation scheme' (just like for landings) and calculated in menu '12. Calculated Distribution from Allocation Scheme'. Raised Discards are done from the menu '10. Raised Discards'. A stock and year must be selected first, no allocation scheme is needed. The Raised discards functionality must be understood before it is used. Using discards in InterCatch can be done in two ways:

1. Only a **few imported discards** and no other discards are to be used
2. With **discards for all strata**, imported discards where data is sampled and raised/calculated discards weights for all other strata, where discards are not imported.

In **case 1** the menu item: 10. Raised Discards should **not be used**.
In **case 2** the Setup Raised Discards **should be used**, because InterCatch will **create** all the **Raised/missing discard strata**, the stock coordinator can then select the matching landings and discards which should be used to calculate the Raised discards catch (CATON).

Exporting discards and landings separately is done under the menu item '14. Aggregate and Export Stock Data'. When exporting only the landings select 'L'/'Landings' in the Catch Category field and select 'All' in all other fields, then press the aggregate button and then the export button. When exporting only the discards select in the Catch Category field 'D'/'Discards' and again aggregate and export the data, as under landings.

When entering the menu item 10. Setup Raised Discards for the first time, InterCatch will give a kind of a warning by asking if the user what to continue to Create Raised Discard Data for all strata where discards are missing.

If the user **by fault pressed the button 'Create Raised Discard data'** and do not want all these discard strata, then go to menu item '8. Extract and View Imported Stock/Year Data' and extract again, then the extracted data are just the data imported, there is no automatically created discard strata. Automatically created discard strata have to be actively selected after an stock data extract.



If the user clicks the button ‘Create Raised Discard data’, InterCatch will **automatically create a discard stratum for each landing stratum, where there is no matching discard stratum data**. By matching stratum the following fields have to be the same; country, year, area, temporal extent (e.g. quarter), fleet/metier and reporting category.



L-D setups	-	No. L-D setups	Group number	Group name	Country	Year	Season	Area	Catch cat.	Report cat.	Fleet	Weighting Parameter	Landing Catch kg.	Discard Catch kg.
	Edit	0			UK (Scotland)	2012	1	IIa	Discards	R Report	SDN_DEF_>=120_0_0_all		50,000	0
	Edit	0			UK (Scotland)	2012	1	IIb	Discards	R Report	SDN_DEF_>=120_0_0_all		323,000	0
	Edit	0			UK (Scotland)	2012	2	IIb	Discards	R Report	SDN_DEF_>=120_0_0_all		91,000	0
	Edit	0			UK (Scotland)	2012	2	IIa	Discards	R Report	SDN_DEF_>=120_0_0_all		111,000	0
	Edit	0			UK (Scotland)	2012	3	IIa	Discards	R Report	SDN_DEF_>=120_0_0_all		30,000	0
	Edit	0			UK (Scotland)	2012	4	IIa	Discards	R Report	SDN_DEF_>=120_0_0_all		197,000	0
	Edit	0			UK (Scotland)	2012	4	IIa	Discards	R Report	OTB_DEF_80-99_0_0		406,000	0
	Edit	0			UK (Scotland)	2012	4	IIb	Discards	R Report	SDN_DEF_>=120_0_0_all		174,000	0

The screen above shows the automatically created raised discard strata with a **catch of 0 kg** just after the button 'Create Raised Discard data' have been pressed. In the second last column from the right the landings catch is shown, so the user has an idea of how important a stratum is. Now the user can setup how the calculation of each of the **raised discard stratum's catches** should be calculated, by pressing the '**Edit**' button next each stratum. Or the user can press the '**Go to Group setup**', to setup a group of raised discards, for which each raised discard should be raised by the same selection of matched landings-discards.

The very first time the '**Edit**' or the '**Go to Group setup**' button is pressed and until the first discard allocation have been set up, the user is **redirected to the 'Match related Landing and Discards**' page.

All the landing and discards which are related have to be matched before proceeding.


http://intercatch.ices.dk/CS/Data/Discard/MatchingLandingsAndDiscards.aspx?Str
ices.dk
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Match related Landings and Discards
Available landings
Filter for available landings shown, use shift and ctrl.
Countries: Denmark, UK(Scotland)
Seasons: 1, 4, 3, 2
Areas: IIa, IIb
Fleets: Bottom trawl, OTB_CRU_70-99_0_0_24<40, OTB_CRU_90-119_0_0_all
Country | Year | Season | Area | Catch cat. | Report cat. | Fleet | Caton | Landings Samples Catch | Landings No. Age Read. | Landings No. Length Meas. | Landings No. Sample Age | Landings No. Sample Length
UK (Scotland) | 2010 | 3 | IIa | Landings | All - reported, nonreported and misreported | OTB_CRU_70-99_0_0_24<40 | 43,000,000
UK (Scotland) | 2010 | 2 | IIa | Landings | All - reported, nonreported and misreported | OTB_CRU_70-99_0_0_24<40 | 90,000,000
Available Discards
Filter for available discards shown, use shift and ctrl.
Choose filter paramters: Countries: UK(Scotland)
Seasons: 1, 2
Areas: IIa
Fleets: OTB_CRU_70-99_0_0_24<40
Country | Year | Season | Area | Catch cat. | Report cat. | Fleet | Age or length for discard data exist | Landings Samples Catch | Discards Samples Catch | Discards No. Age Read. | Discards No. Length Meas. | Discards No. Sample Age | Discards No. Sample Length | Caton
UK (Scotland) | 2010 | 2 | IIa | Discards | All - reported, nonreported and misreported | OTB_CRU_70-99_0_0_24<40 | 38,600,000
Match marked landings and discards
Unmatch marked Landings-Discards
Automatically and manually matched Landings-Discards
Landing Country | Landing Year | Landing Season | Landing Area | Landing Catch cat. | Landing Report cat. | Landing Fleet | Landing Caton | Discard Country | Discard Year | Discard Season | Discard Area | Discard Catch cat. | Discard Report cat. | Discard Fleet | Discard Caton
UK (Scotland) | 2010 | 1 | IIa | Landings | A All - | OTB_CRU_70-99_0_0_24<40 | 25,000,000 | UK (Scotland) | 2010 | 1 | IIa | Discards | A All - | OTB_CRU_70-99_0_0_24<40 | 4,440,000
Go to Discard Allocation
Go to overview of Unreported Discards
back to top
100%

The ‘Match related Landings and Discards’ page consist of 3 grids/tables.

The top grid shows all the imported ‘Available Landings’ strata.

The grid in the middle shows all the imported ‘Available Discards’ strata.

The bottom grid shows all ‘Automatically and manually matched Landings-Discards’. The automatically matched landing and discard are matched/related on an individual stratum basis. Where the **country, season, area, fleet/metier and reporting category are identical, to be able to be representative for a ratio between a landing weight and a discard weight**. So a landing-discard ratio for the given stratum can be calculated and used for further raising for Raised Discards


http://intercatch.ices.dk/CS/Data/Discard/MatchingLandingsAndDiscards.aspx
ices.dk
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:03 May 2013, 13:46:52
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Not set
Match related Landings and Discards
Available Landings
Filter for available landings shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Country Year Season Area Catch cat. Report cat. Fleet Caton Landings Samples Catch Landings No. Age Read. Landings No. Length Meas. Landings No. Sample Age Landings No. Sample Length
UK (Scotland) 2012 1 IIa Landings R Report SDN_DEF_>=120_0_0_all 50,000.000
UK (Scotland) 2012 1 IIb Landings R Report SDN_DEF_>=120_0_0_all 323,000.000
UK (Scotland) 2012 2 IIb Landings R Report SDN_DEF_>=120_0_0_all 91,000.000
UK (Scotland) 2012 2 IIa Landings R Report SDN_DEF_>=120_0_0_all 111,000.000
UK (Scotland) 2012 3 IIa Landings R Report SDN_DEF_>=120_0_0_all 30,000.000
UK (Scotland) 2012 4 IIa Landings R Report SDN_DEF_>=120_0_0_all 197,000.000
UK (Scotland) 2012 4 IIa Landings R Report OTB_DEF_80-99_0_0 406,000.000
UK (Scotland) 2012 4 IIb Landings R Report SDN_DEF_>=120_0_0_all 174,000.000
Available Discards
Filter for available discards shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2012
Areas IIa
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Country Year Season Area Catch cat. Report cat. Fleet Age or length for discard data exist Landings Samples Catch Discards Samples Catch Discards No. Age Read. Discards No. Length Meas. Discards No. Sample Age Discards No. Sample Length Caton
UK (Scotland) 2012 1 IIa Discards R Report OTB_DEF_80-99_0_0 858,000.000
UK (Scotland) 2012 2012 IIa Discards R Report SDN_DEF_>=120_0_0_all 197,000.000
100%

For a real stock the 3 grids/tables cannot be seen on a screen, as in the example above only the top part of the page is shown. Use the scroll bar to move down. In the top grid all landings strata, for which there are not imported a matching/relating discard weight, is shown.

In the middle grid all discards strata, for which there are not imported a matching/relating landing weight, is shown.



When entering the page '**Match related Landings and Discards'** all landings and discards from the **same strata** are automatically matched. Please scroll down to the bottom. See the automatically matched light brown landing-discard stratum and green-grey landing-discard stratum at the bottom of the page. By **same strata** the following fields have to be the same; **country, year, area, temporal extent (e.g. quarter), fleet/metier and reporting category**.

But it could be that landings are imported per quarter, and discards are imported for the whole year. In this case the user manually marks and match the related strata


http://intercatch.ices.dk/CS/Data/Discard/MatchingLandingsAndDiscards.aspx
ices.dk
Available Landings
Filter for available landings shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Country Year Season Area Catch cat. Report cat. Fleet Caton Landings Samples Catch Landings No. Age Read. Landings No. Length Meas. Landings No. Sample Age Landings No. Sample Length
UK (Scotland) 2012 1 IIa Landings R Report SDN_DEF_>=120_0_0_all 50,000.000
UK (Scotland) 2012 2 IIa Landings R Report SDN_DEF_>=120_0_0_all 111,000.000
UK (Scotland) 2012 3 IIa Landings R Report SDN_DEF_>=120_0_0_all 30,000.000
UK (Scotland) 2012 4 IIa Landings R Report SDN_DEF_>=120_0_0_all 197,000.000
Available Discards
Filter for available discards shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2012
Areas IIa
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Country Year Season Area Catch cat. Report cat. Fleet Age or length for discard data exist Landings Samples Catch Discards Samples Catch Discards No. Age Read. Discards No. Length Meas. Discards No. Sample Age Discards No. Sample Length Caton
UK (Scotland) 2012 1 IIa Discards R Report OTB_DEF_80-99_0_0 858,000.000
UK (Scotland) 2012 2012 IIa Discards R Report SDN_DEF_>=120_0_0_all 197,000.000
Match marked landings and discards
Unmatch marked Landings-Discards
Automatically and manually matched Landings-Discards
Landing Country Landing Year Landing Season Landing Area Landing Catch cat. Landing Report cat. Landing Fleet Landing Caton Discard Country Discard Year Discard Season Discard Area Discard Catch cat. Discard Report cat. Discard Fleet Discard Caton
UK (Scotland) 2012 2 IIa Landings R Report OTB_DEF_80-99_0_0 2,935,000.000 UK (Scotland) 2012 2 IIa Discards R Report OTB_DEF_80-99_0_0 111,000.000
UK (Scotland) 2012 3 IIa Landings R Report OTB_DEF_80-99_0_0 1,000.000 UK (Scotland) 2012 3 IIa Discards R Report OTB_DEF_80-99_0_0 2,000.000
100%

Just like described, it could be that landings are imported per quarter, and discards are imported for the whole year. Use the filter to filter the landings. In this case there are 4 quarterly landings and 1 annually discard, the user then manually check-marks the most left column all the four quarterly landings and the annually discard stratum, see the page above. Then the button ‘Match marked landings and discards’ is pressed. This will match the four quarterly landings with the annually discard stratum.


Available Landings
Filter for available landings shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
No data found
Available Discards
Filter for available discards shown, use shift and ctrl.
Countries: UK(Scotland)
Seasons 1 2012
Areas IIa
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Country Year Season Area Catch cat. Report cat. Fleet Age or length for discard data exist Landings Samples Catch Discards Samples Catch Discards No. Age Read. Discards No. Length Meas. Discards No. Sample Age Discards No. Sample Length Caton
UK (Scotland) 2012 1 IIa Discards R Report OTB_DEF_80-99_0_0 858,000.000
Match marked landings and discards
Unmatch marked Landings-Discards
Automatically and manually matched Landings-Discards
Landing Country Landing Year Landing Season Landing Area Landing Catch cat. Landing Report cat. Landing Fleet Landing Caton Discard Country Discard Year Discard Season Discard Area Discard Catch cat. Discard Report cat. Discard Fl
UK (Scotland) 2012 2 IIa Landings R Report OTB_DEF_80-99_0_0 2,935,000.000 UK (Scotland) 2012 2 IIa Discards R Report OTB_DEF_80
UK (Scotland) 2012 3 IIa Landings R Report OTB_DEF_80-99_0_0 1,000.000 UK (Scotland) 2012 3 IIa Discards R Report OTB_DEF_80
UK (Scotland) 2012 1 IIa Landings R Report SDN_DEF_>=120_0_0_all 50,000.000 UK (Scotland) 2012 2012 IIa Discards R Report SDN_DEF_>=120
UK (Scotland) 2012 2 IIa Landings R Report SDN_DEF_>=120_0_0_all 111,000.000
UK (Scotland) 2012 3 IIa Landings R Report SDN_DEF_>=120_0_0_all 30,000.000
UK (Scotland) 2012 4 IIa Landings R Report SDN_DEF_>=120_0_0_all 197,000.000
Go to Group setup
Go to Raised Discards
100%

After the button ‘Match marked Landings and Discards’ have been pressed, the marked strata are removed from the Available Landings and Available Discards and the new manually matched landings and discards are shown together with the automatically matched landings and discards under ‘Automatically and manually matched Landings-Discards’.

The 3 landing-discard strata can now be used for calculating a landing-discard ratio, which can be used to calculate the raised discards’ weights.

At the same time the 4 (InterCatch created) ‘raised discards’ strata relating to the 4 quarterly landings (just matched landing part of the light green) are deleted. These 4 created raised discards strata was created because there was not found a matching imported discard. But now the user have set up a relation between the 4 quarterly landings strata and the annually discard, so now the 4 created raised discards strata must be deleted.

Both automatically and manually match landings and discards can be un-matched, there is no difference between automatically and manually match landings and discards. If several landings (or discards) strata are match together then marking only one of the strata data lines and pressing the button ‘Unmatch marked Landings-Discards’ will result in all of the matched strata are unmatched.

All the landing and discards which are related have to be matched before proceeding

Once all the related landings and discards are matched for the stock, the user can proceed to select the relevant landing-discard ratios for the raised discards catches by pressing the button ‘Go to Select L-D for raised Discard’ (or ‘Go to Group Setup, if coming from Group Setup). See the following page.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:20 January 2012, 15:02:10
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Select Landings-Discards for Unreported Discard
For Unreported Discard
Go to Match Related Landings and Discards
Country Year Season Area Catch cat. Report cat. Fleet Catch kg.
Denmark 2010 2 Quarter IIa Discards All - re OTB_CRU_90-119_0_0_all 0
Available Landings-Discards
Filter for available landings shown, use shift and ctrl.
Choose fileter parameters:
Countries: UK(Scotland)
Seasons 1 2
Areas IIa
Fleets OTB_CRU_70-99_0_0_24<40
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Landing in kg. Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Discard Country
UK (Scotland) 2010 1 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 25,000,000.000 4,440,000.000 0.178 UK (Scotland)
Selected Landings-Discards
Add selected
Add all
Remove all
Remove selected
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Sum of Landing in kg. Sum of Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Weightin Factor
UK (Scotland) 2010 2 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 90,000,000.000 38,600,000.000 0.429 90,000,000.
Comments:
Weighting Factor (at stratum level) by:
Landing CATON
OK
Cancel
back to top
100%

The screen is divided into 3 parts:

1. **For Raised Discard,** the stratum which is being set up
2. **Available Landings-Discards**, on which the calculation of the raised discards catch **can be** based
3. **Selected**(/allocated) **Landings-Discards** strata, on which the calculation of the raised discard's catch **will be** based

In the right upper corner there is a button 'Go to Match Related Landings and Discards', which direct the user to the 'Match related Landings and Discards' page, so the user at any time can check the landing-discard matches made. All landing-discard matches should have been done at this point, so all the matched landings-discards are available for all the raised discards.

Under the **Available Landings-Discards** there is a filter for the strata shown in the Available Landings and Discards table, to show all available Landings-Discards pairs all items in all filter parameters must be selected (marked blue). Select the item by clicking/marking a value and **holding the shift button down** while another item is clicked with the mouse, or **hold the control button down** while selecting individual items in the filter parameters. Finally press the ‘Update Filter’ button

By using the check mark to the most left of each stratum, strata can be added to the selected or removed from the selected strata.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:20 January 2012, 15:05:55
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Select Landings-Discards for Unreported Discard
For Unreported Discard
Go to Match Related Landings and Discards
Country Year Season Area Catch cat. Report cat. Fleet Catch kg.
Denmark 2010 2 Quarter IIa Discards All - re OTB_CRU_90-119_0_0_all 514,666
Available Landings-Discards
Filter for available landings shown, use shift and ctrl.
Choose fileter parameters:
Countries:
UK(Scotland)
Seasons
1
2
Areas
IIa
Fleets
OTB_CRU_70-99_0_0_24<40
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Landing in kg. Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Discard Country
UK (Scotland) 2010 1 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 25,000,000.000 4,440,000.000 0.178 UK (Scotland)
Selected Landings-Discards
Add selected
Add all
Remove all
Remove selected
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Sum of Landing in kg. Sum of Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Weighting Factor
UK (Scotland) 2010 2 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 90,000,000.000 38,600,000.000 0.429 0.000
Comments:
Weighting Factor (at stratum level) by:
Landing CATON
Discard CATON
Discard No. Age Read.
Discard No. Length Meas
Discard No. Samples for Age
Discard No. Samples for Length
Landing CATON
Landing No. Age Read.
Landing No. Length Meas.
Landing No. Samples for Age
Landing No. Samples for Length
Landing Sampled Catch
Manual
OK
Cancel
back to top
100%

In the screen above the 2st quarter stratum have been selected to be used as basis for calculating the discard catch.

When **only one** Landings-Discards has been selected for the raised discard stratum, the weighting factor does not matter. Then the discard CATON is calculated directly from 'For Raised Discard' stratums related landing CATON multiplied with the rate between the selected Landings-Discards.

When **more than one** Landings-Discards stratum have been selected, the **weighting factor has to be selected**. Select the field, which should be used as weighing factor, from the list shown when clicking the Weighing Factor field. In the page above 'Landing CATON' is selected. The standard is to let the selected Landings-Discards be weighted by the 'Landings CATON' (landings catch), this is all so the default.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:20 January 2012, 15:05:55
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Select Landings-Discards for Unreported Discard
For Unreported Discard
Go to Match Related Landings and Discards
Country Year Season Area Catch cat. Report cat. Fleet Catch kg.
Denmark 2010 2 Quarter IIa Discards All - re OTB_CRU_90-119_0_0_all 514,666
Available Landings-Discards
Filter for available landings shown, use shift and ctrl.
Choose fileter parameters:
Countries: UK(Scotland)
Seasons 1 2
Areas IIa
Fleets OTB_CRU_70-99_0_0_24<40
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Landing in kg. Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Discard Country
UK (Scotland) 2010 1 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 25,000,000.000 4,440,000.000 0.178 UK (Scotland)
Selected Landings-Discards
Add selected
Add all
Remove all
Remove selected
Landing Country Landing Year Landing Season Landing Area Landing Report cat. Landing Fleet Multiple landing stratas Sum of Landing in kg. Sum of Discard in kg. Discard Ratio Age or length discard data exist Multiple discard stratas Weighting Factor
UK (Scotland) 2010 2 IIa All - reported, nonreported and misreported OTB_CRU_70-99_0_0_24<40 90,000,000.000 38,600,000.000 0.429 0.000
Comments: Only the 2nd quarter Landings-Discards is used, because of a large difference between quarters
Weighting Factor (at stratum level) by: Landing CATON
OK
Cancel
back to top
100%

A comment in the comment field at the left bottom can be written. This comment is written in the exported ‘Discard allocation file, which document which landings-discards was selected to calculate all the raised discards.

When the raised discard has been set up, by selecting the best Landings-Discards and the weighing, the OK-button is pressed and the set up is saved. The user is redirected to the ‘Setup Raised Discards’ page.


http://intercatch.ices.dk/CS/data/Discard/DiscardAllocationAndCalc.aspx
InterCatch- 10. Setup Unrep...
Convert
Select
ICES
CIEM
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:20 January 2012, 15:03:49
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Setup Unreported Discards
Edit Denmark 2010 2 IIa Discards A All - OTB_CRU_90-119_0_0_all 1,200,000 514,666
Edit Denmark 2010 2 IIb Discards A All - OTB_CRU_90-119_0_0_all 124,362,000 0
Edit Denmark 2010 3 IIb Discards A All - OTB_CRU_90-119_0_0_all 47,930,000 0
Edit Denmark 2010 3 IIa Discards A All - OTB_CRU_90-119_0_0_all 51,749,000 0
Edit Denmark 2010 1 IIa Discards A All - Bottom trawl 28,890,000 0
Edit UK(Scotland) 2010 3 IIa Discards A All - OTB_CRU_70-99_0_0_24<40 43,000,000 0
Edit UK(Scotland) 2010 4 IIa Discards A All - OTB_CRU_70-99_0_0_24<40 30,000,000 0
back to top
100%

The user is returned to the screen shown above. For each stratum where the raised discard have been set up, a plus sign **'+' is shown to the left** of the stratum and the **calculated discard catch** is shown to the most right.


http://intercatch.ices.dk/CS/data/Discard/DiscardAllocationAndCalc.aspx
InterCatch- 10. Setup Unrep...
Convert
Select
ICES
CIEM
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:20 January 2012, 15:03:49
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Trial
Distribution: Age
Allocation scheme: Not set
Setup Unreported Discards
Edit Denmark 2010 2 IIa Discards A All - OTB_CRU_90-119_0_0_all 1,200,000 514,666
Landing Country: UK (Scotland)
Landing Year: 2010
Landing Season: 2
Landing Area: IIa
Landing Report cat.: All - reported, nonreported and misreported
Landing Fleet: OTB_CRU_70-99_0_0_24<40
Multiple landing stratas:
Landing in kg.: 90,000,000.000
Discard in kg.: 38,600,000.000
Multiple discard stratas:
Discard Country: UK (Scotland)
Discard Year: 2010
Discard Season: 2
Discard Area: IIa
Discard Report cat.: All - reported, nonreported and misreported
Discard Fleet: OTB_CRU_70-99_0_0_24<40
Edit Denmark 2010 2 IIb Discards A All - OTB_CRU_90-119_0_0_all 124,362,000 0
Edit Denmark 2010 3 IIb Discards A All - OTB_CRU_90-119_0_0_all 47,930,000 0
Edit Denmark 2010 3 IIa Discards A All - OTB_CRU_90-119_0_0_all 51,749,000 0
Edit Denmark 2010 1 IIa Discards A All - Bottom trawl 28,890,000 0
Edit UK(Scotland) 2010 3 IIa Discards A All - OTB_CRU_70-99_0_0_24<40 43,000,000 0
Edit UK(Scotland) 2010 4 IIa Discards A All - OTB_CRU_70-99_0_0_24<40 30,000,000 0
back to top
100%

By pressing the plus sign '+' the selected landings-discards, which the calculation of the raised discards catch is based on is shown.

5.10.1 Discard Group Setup


http://intercatch.ices.dk/CS/Data/Discard/DiscardAllocationAndCa
InterCatch- 10. Raise Discards
Untitled Page
ICES CIEM
Contact Sitemap FAQ Glossary GroupNet Login Admin
Search Everything
EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY
Data handling Overviews InterCatch- Misc Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:10 May 2013, 14:29:13
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Not set
Raised Discards
Go to Group setup
L-D setups | - | No. L-D setups | Group number | Group name | Country | Year | Season | Area | Catch cat. | Report cat. | Fleet | Weighting Parameter | Landing Catch kg. | Discard Catch kg.
View | Edit | 2 | 1 | SDN group | UK (Scotland) | 2012 | 1 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | Landing CATON | 323,000 | 29,938
Edit | 0 | UK (Scotland) | 2012 | 2 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | 91,000 | 0
View | Edit | 2 | 1 | SDN group | UK (Scotland) | 2012 | 4 | IIa | Discards | R Report | OTB_DEF_80-99_0_0 | Landing CATON | 406,000 | 37,631
View | Edit | 2 | 1 | SDN group | UK (Scotland) | 2012 | 4 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | Landing CATON | 174,000 | 16,128
International Council for the Exploration of the Sea (ICES) · Conseil International pour l'Exploration de la Mer (CIEM)
ICES Secretariat · H. C. Andersens Boulevard 44-46, DK 1553, Copenhagen Denmark · Tel: +45 3338 6700 · Fax: +45 3393 4215 · info@ices.dk
Disclaimer © ICES - All Rights Reserved
100%

If the user want to set up which landing-discard ratios to use for a group of raised discards, then the user should press the button'Go to Group setup'.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:03 May 2013, 14:14:03
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Not set
Grouping of Raised Discards
Filters for unsampled stratas, use shift and ctrl.
Go to Match Related Landings and Discards
Countries: UK(Scotland)
Seasons 1 2 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Raised Discards which can be grouped together for the same allocation approach (4 records found)
Country Year Season Area Catch cat. Report cat. Fleet Caton
UK(Scotland) 2012 1 IIb Discards R Report SDN_DEF_>=120_0_0_all
UK(Scotland) 2012 2 IIb Discards R Report SDN_DEF_>=120_0_0_all
UK(Scotland) 2012 4 IIa Discards R Report OTB_DEF_80-99_0_0
UK(Scotland) 2012 4 IIb Discards R Report SDN_DEF_>=120_0_0_all
Add selected
Add all
Remove all
Remove selected
Group 1 Name of group 1
Update group name
Cancel
Unsampled strata in groups:
No data found
Back (Raised Discards page)
Save group and go to setup Select L-D
100%

First the user select the raised discards strata which should be grouped (meaning using the same landing-discards) among the all the raised discards which have not already been setup. The selected raised discards are marked in the most left column.



When the ‘Add selected’ is pressed the raised discard strata are move into the group. The group have been given a name (this is optional) press the ‘Save group and go to setup Select L-D’.

The Update group name should only be used when giving the group a name before adding raised discards to it, or when renaming the group.



When the ‘Save group and go to setup Select L-D’ button have been pressed, the user is redirected to the ‘Select Landings-Discards for Grouped Raised Discards.

The user now select which landing-discards ratios to use for the calculation of the group.


Filters for sampled strata
Countries:
Seasons
Areas
Fleets
Search part of fleet name by keyword:
Update filter
Matched landings-discards, which can be applied to each raised discard in the group (1 records found)
Add selected
Add all
Remove all
Remove selected
Selected matched landings-discards, which will be applied to each raised discard in the group: (2 records found)
Comments:
Weighting Factor (at stratum level) by:
Landing CATON
OK(Calculate and continue to Discard Groups page)
Cancel and return to Discard groups page
Back to Raised discards page

When the user presses ‘Ok (Calculate and continue to Discard Groups page)’, the total weighted landing-discard ratio for all the selected ratios is calculated. Then this ration is multiplied with the raised discard’s related landing weight, to calculate the raised discard weight. This is done for each of the raised discard strata in the group.

If the user prefer to set up all the groups before selecting landing-discard ratios for the group, the user presses the button ‘Cancel and return to Discard group page’.



New Group name

When the ‘Ok (Calculate and continue to Discard Groups page)’ button is pressed the user is returned to the Grouping of Raised Discards page. To setup a new group the user should click in the small group number drop-down box, then select the next number, which will be the group number for the new group to setup, please see the blue marked ‘2’ in the page above.


http://intercatch.ices.dk/CS/data/Discard/DiscardAllocationAndCalc.asp
InterCatch- 10. Raise Discards
ICES
CIEM
Contact Sitemap FAQ Glossary GroupNet Login Admin
Search Everything
EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY
Data handling Overviews InterCatch- Misc Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:03 May 2013, 14:23:51
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Not set
Raised Discards
Go to Group setup
L-D setups | - | No. L-D setups | Group number | Group name | Country | Year | Season | Area | Catch cat. | Report cat. | Fleet | Weighting Parameter | Landing Catch kg. | Discard Catch kg.
View | Edit | 0 | 1 | SDN group | UK (Scotland) | 2012 | 1 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | Landing CATON | 323,000 | 29,938
Edit | 0 | UK (Scotland) | 2012 | 2 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | 91,000 | 0
View | Edit | 0 | 1 | SDN group | UK (Scotland) | 2012 | 4 | IIa | Discards | R Report | OTB_DEF_80-99_0_0 | Landing CATON | 406,000 | 37,631
View | Edit | 0 | 1 | SDN group | UK (Scotland) | 2012 | 4 | IIb | Discards | R Report | SDN_DEF_>=120_0_0_all | Landing CATON | 174,000 | 16,128
International Council for the Exploration of the Sea (ICES) · Conseil International pour l'Exploration de la Mer (CIEM)
ICES Secretariat · H. C. Andersens Boulevard 44-46, DK 1553, Copenhagen Denmark · Tel: +45 3338 6700 · Fax: +45 3393 4215 · info@ices.dk
Disclaimer © ICES - All Rights Reserved
100%

When retuning to the Raised Discards overview page. The user can see InterCatch have calculated a discard weight for the grouped raised discard strata, the group number and name is shown and number of landing-discards setup for the ratio calculation is also shown. If the user want to see the actual landing-discards strata that is done by pressing the ‘View’ link to the most left

5.11 Manage Allocation Scheme

Manage Allocation schemes are done from the menu item: 7. Set Stock and Year/Workingspace

Before setting up any allocation rules, you have to start by setting up an Allocation scheme, therefore you must specify a name for your Allocation scheme. That is done from '7. Set Stock and Year/Workingspace'. Press the button 'Manage Allocation Schemes'

When entering the menu '7. Set Stock and Year/Workingspace' for the first time there will not be a box with Allocation schemes after the 'Select Allocation Scheme'. To create a new Allocation scheme click 'Manage Allocation Schemes'.

The stock coordinator can set up several different alternative allocation schemes, they will appear in the 'Select Allocation Scheme'dropdown box



After pressing ‘Manage Allocation Schemes’ in the previous screen, the screen above appears. From this screen the user can do three things:

1. **Rename** an already existing allocation scheme
   - **Select** an allocation scheme from the **dropdown box**
   - Give the allocation scheme a new name
2. **Copy** an already existing allocation scheme
   - **Select** an allocation scheme from the **dropdown box**
   - Give the new allocation scheme copy a name
3. Create a **new** allocation scheme
   - Press the **button ‘New’**

When the user presses the ‘New’ button, the following screen appears.

Fill in an allocation scheme name and description and press ‘Save’

The options are:
‘Close’ which cancel and close the screen
‘Clear’ which clears the written text
‘Save’ which saves the new allocation scheme

After saving your new Allocation scheme, a popup verify that your new Allocation scheme was save. Look at your Stock and Year bar at the top and verify that the Allocation scheme is the just created allocation scheme name. If not then go to ‘7. Set Stock and Year/Workingspace‘ and select the allocation scheme you want in the dropdown box at the bottom of the site.

If you want to use an existing allocation scheme as a starting point for a new allocation scheme, you can copy an existing allocation scheme by going to ‘7. Set Stock and Year/Workingspace‘ and press ‘Manage Allocation Schemes’. In the dropdown box you can select the Allocation scheme you want to copy from. Then two new fields appear. Type the name and description of the new Allocation scheme to which you want to copy the existing allocations, see the screen above. Finally press ‘Copy’.

Allocation schemes can be copied to and from both ‘Final’ and ‘Trial’. You can also copy across, meaning you can copy an allocation scheme created under Stock and Year ‘Final’ and copy it to Stock and Year ‘Trial’.

If you want to rename an allocation scheme then press ‘Rename’. If you want to delete an allocation scheme then press ‘Delete scheme’.

5.12 Setup or Check Allocation Scheme

Menu item: 10. Setup or Check Allocation Scheme

The next step is to set up allocations of sampled catches to unsampled catches or popular speaking the 'Hole fill-in'.

First select allocation scheme for which you setup allocations
Before entering the '10. Setup or Check Allocation Scheme' you must select the allocation scheme for which you want to setup allocations/do the hole fill-in. See the top Stock and Year bar's last field Allocation scheme. If you have 'Not set' your allocation scheme, you are automatically redirected to the '7. Set Stock and Year/Workingspace', where you can select the allocation scheme in the dropdown box at the bottom of the screen. See screen below.

If no dropdown box is shown create a new allocation scheme by pressing 'Manage Allocation Scheme'





After selecting an allocation scheme you will see the screen above when entering the '10. Setup or Check Allocation Schemes'.

This screen is just a filter. Here you select which part of all the unsampled catches you want to see and set up allocations for in the next screen. For stocks with many unsampled catches these filter should be used to reduce the time it takes to show the next page with unsampled catches, the more catches, which have allocations the longer time it will take to show the page, therefore use the filter for large stocks. The filter have no effect on the very first time the user enter the allocation page and click 'Yes' to let InterCatch find all the unsampled catches.

Leave the default 'All' in all the dropdown lists and click 'OK' to see all the unsampled catches, except for large stocks where all the allocations almost have been set up.

If using the filter **make sure all unsampled catches have allocations**, before **calculating the age or length distributions from the allocations**.

This is the screen shown only the very first time the ‘10. Setup or Check Allocation Schemes’ is entered with a new allocation scheme.

The screen is empty because no set up of allocations and unsampled catches has been made yet.

Press ‘Yes’ to let InterCatch identify unsampled catches.



The screen above shows one line for each of the unsampled catches, to which sampled catches need to allocated. In the example above there is only one unsampled catches, to which sampled catches need to be allocated. The page have been updated with two buttons please see next page.

Click ‘Edit’ for the unsampled catch you want to set up allocation for.

The set up of allocations for each of the unsampled catches are stored under the allocation scheme name selected.

If the stock coordinator want to investigate which effect different set up of allocations have. Several allocation schemes can be set up for the same ‘Final’ dataset or same ‘Trial’ dataset. All the allocations under one allocation scheme could be set up, so the different parameters such as; country, quarter, area, fleet, catch category (Catch, Landing or Discard) have one order of priority and one preferred weighting. E.g. first catch category, then quarter, area, country, and finally fleet. And if several sampled catches have been allocated to one unsampled catch, then the sampled catches are equally weighted-

Another alternative allocation scheme with another priority order and weighting could be set up to compare the two different orders of priorities and weitghting. Under this allocation scheme all the individual allocations could be set up using e.g. the following order of priorities first catch category, fleet, quarter, area and finally country.

The ‘Load Latest Practice’ button have been replaced by a much more advanced functionality.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/
ices.dk
Find: fil
Previous
Next
Options
ICES
CIEM
Contact
Sitemap
FAQ
Glossary
GroupNet Login
Admin
Search Everything
EXPLORE US
NEWS AND EVENTS
MARINE DATA
PUBLICATIONS
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:14 May 2013, 10:58:42
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: WKIC2_1
Allocation scheme 'WKIC2_1 '
For aas-arct in 2012
Auto allocations
Filter: -
Go to Group setup
No Alloc
Weight Algorithm
Country
Area
Year
Season
Metier/Fleet
CatchCategory
Report cat.
CATON in kg
Comments
Edit 5 CATON UKS IIa 2012 1 SDN_DEF_>=120_0_0_all Landings R - Rep 50000
Edit 5 CATON UKS IIa 2012 3 SDN_DEF_>=120_0_0_all Landings R - Rep 30000
Edit 4 Mean W UKS IIa 2012 4 OTB_DEF_80-99_0_0 Discards R - Rep 0
Edit 4 Mean W UKS IIb 2012 1 SDN_DEF_>=120_0_0_all Discards R - Rep 29937
Edit 4 Mean W UKS IIb 2012 2 SDN_DEF_>=120_0_0_all Discards R - Rep 8434
Edit 4 Mean W UKS IIb 2012 4 SDN_DEF_>=120_0_0_all Discards R - Rep 16127
The table above shows all the unsampled catches/stratas for which allocations have to set up. When allocations have been set up for an unsampled stratum a '+' is shown in the first column. When clicking the '+' the allocated stratas are shown.
Before you press any 'Edit' buttons, you can copy the way allocations was done last year (remember if e.g. the Fleet or Reporting Category is different, InterCatch cannot find the strata automatically). You can then edit the allocations afterwards where needed, remember to check all allocations, or discard the allocations and just create a new (blank) allocation scheme.
Copy last year's allocations
Close

The page above have been updated with two buttons please see ‘Auto allocations’ and ‘Go to Group setup’. The reason for not substituting the screen shoot on the previous page is to keep the continuity of the example. To continue the example skip the next page with the automatic allocations.

If button ‘Auto allocations’ press is pressed, the user can setup unsampled catches with similar sampled strata just from other countries. With similar strata means same species, area, quarter, metier, catch category, reporting category. The minimum accepted numbers of automatically found similar strata have to be specified. Please see next page, this should not be used unless you know how to set up the allocations manually or know what you are doing.

If button ‘Go to Group setup’’ press is pressed, the user can setup up groups of unsampled strata for which the same allocated sampled strata should be used as a basis for calculating the age or length distribution, please see the section on ‘Allocation group setup’.

Please specify the minimum accepted numbers of automatically found similar strata which can be used to set up the allocation for any of the unsampled strata. Please specify the weighting algorithm/parameter used for all allocations.

Press the 'Automatic Allocations' button to let InterCatch set up allocations for similar strata.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1483423 846 7852 25 25
DK 2009 2 qua. IIIa Bottom trawl HumanC Landings All - 1170
Add
Remove
Selected strata
No selected sources for the current target
Comments: No comments
Weighting algorithm: CATON
Cancel
OK
back to top
Internet
100%

After clicking ‘Edit’ for a specific unsampled catch on the previous page, the following screen appears.

On the very top you see the properties or parameters for the unsampled catch you selected, under the header ‘For’.

In the ‘Available strata’ list you see all the catches which have sample data (also referred to as having an age or length distribution). A selection of the ‘Available strata’ can be used in the ‘Selected strata’. In the ‘Selected strata’/allocation list you see all the catches/strata which you have added/selected to be allocated for the unsampled catch at the top.

The first time you enter this page the ‘Selected strata’ is empty, because you have not selected any sampled catches/strata yet.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Area Country Season Catch Category Fleet
Only Area IIIa
Only DK
Only 3 qua.. Quarter
Only Landings
Only Other
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1483423 846 7852 25 25
DK 2009 2 qua. IIIa Bottom trawl HumanC Landings All - 1170
DK 2009 4 qua. IIIa Other Unspec Landings All - 906
Add
Remove
Selected strata
No selected sources for the current target
Comments: No comments
Weighting algorithm: CATON
Cancel
OK
Internet
100%

Filtering ‘Available strata’

It is possible to limit the available sampled catches if you think the available sampled catches list is too long. You can click the button ‘Filter’ to the right above the ‘Available strata’ list.

The button expand the possible parameters to filter on.

Every time a check is set or removed in the filter check boxes the available strata are updated in screen.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Area Country Season Catch Category Fleet
Only Area IIIa
Only DK
Only 3 qua.. Quarter
Only Landings
Only Other
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1483423 846 7852 25 25
DK 2009 2 qua. IIIa Bottom trawl HumanC Landings All - 1170
DK 2009 4 qua. IIIa Other Unspec Landings All - 906
Add
Remove
Selected strata
No selected sources for the current target
Comments: No comments
Weighting algorithm: CATON
Cancel
OK
Done
Internet
100%

Select sampled catches from the ‘Available strata’ to be allocated to the unsampled catch at the top by ticking the check box at the very left. Then you click ‘Add’. The selected catch is moved to the ‘Selected strata’ list.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Area Country Season Catch Category Fleet
Only Area IIIa
Only DK
Only 3 qua.. Quarter
Only Landings
Only Other
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 4 qua. IIIa Other Unspec Landings All - 906
Add
Remove
Selected strata
Country Year Season Area Fleet Fleet type Catch category Report category WeightingFactor CATON in kg Sampled catch in T kg % No. Age read No. Length meas.
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1496 1483423 846 7852
DK 2009 2 qua. IIIa Bottom HumanC Landings All - 1170 1170
Comments:
No comments
Weighting algorithm:
CATON
Cancel
OK
Internet
100%

Now the two marked sampled strata from ‘Available strata’ (see previous screen) are now under ‘Selected strata’ which are the allocated stratas to the unsampled catch at the top ‘For’.

To remove sampled catch from the ‘Selected strata’ mark them in the lower list and press ‘Remove’. You can set more than one check mark both when adding and removing sampled catches as in the example above.


Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: mixfish demo2
Select Allocation-Sources
For unsampled stratum
Country Year Season Area Fleet Fleet type Catch category Report category CATON Misrep. to Area Auto Misrep. from Areas Usage Quality Depth R.
UKS 2010 4 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Landings All - 30000000 H NA NA
Available sampled strata
Filter
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length Usage Quality
UKS 2010 1 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Landings All - 25,000,000.000 0 25 50 10 10 H NA
UKS 2010 1 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Discards All - 4,440,000.000 0 20 40 5 5 H NA
UKS 2010 2 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Landings All - 90,000,000.000 0 80 150 15 15 H NA
UKS 2010 2 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Discards All - 38,600,000.000 0 100 400 30 30 H NA
Selected/allocated strata
Add selected
Add all
Remove all
Remove selected
Country Year Season Area Fleet Fleet type Catch category Report category WeightingFactor CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2010 2 qua. IIb OTB_CRU_90-119_0_0_all HumanC Landings All - 124,362,000.000 124,362,000.000 0 100 400 200 200
DK 2010 3 qua. IIa OTB_CRU_90-119_0_0_all HumanC Landings All - 51,749,000.000 51,749,000.000 0 50 100 10 10
UKS 2010 3 qua. IIa OTB_CRU_70-99_0_0_24<40 HumanC Landings All - 43,000,000.000 43,000,000.000 0 50 100 10 10
Comments: No comments
Weighting Factor (at stratum level) by:
CATON
CATON
Manual
Mean Weight weighted by Numbers at Age or Length
No Age Read
No Length Meas
No Samples for Age
No Samples for Length
Sampled Catch
Cancel
OK
back to top

When more than one stratum has been selected, the strata will have to be weighted. The following weightings can be selected:

- CATON - total catch weight
- Manual – weightings entered by user
- Mean weight weighted by numbers at age or lenght
- ‘No age Read’ – numbers of age readings
- ‘No Length Meas’ – numbers of length measured
- ‘No Samples for Age’ - total numbers of sample events for age readings
- ‘No Samp les for Length’ – total numbers of sample events for length measured
- ‘Sampled Catch’ - Weight of total catch for a metier which is sampled or a percentage representing a random sampling

Except for ‘Mean weight weighted by numbers at age or length‘ all other weightings are using a generic weighting algorithm, then it is just a question of selecting the field, which the weighting factor should be equal to. For the manual weighting the weighting are entered directly by the user for each or several strata at the time.

The generic weighting algorithm

The generic weighting algorithm is weighting the numbers at age (or length) and mean weight at age (or length) by the same weighting factor.
Calculations of numbers at age or length, CANUM, for unsampled catches are done as the following:

$$Number_{a,s} = CatchWeight_{unsampled} * \sum_{i=1}^{n} \frac{Number_{a,s,i}}{CatchWeight_i} * \frac{WeightingFactor_i}{\sum_{j=1}^{n} WeightingFactor_j} \quad , \quad (1)$$

$$a = [age_{first} .. age_{last}] \ \vee \ a = [length_{first} .. length_{last}] \quad ,$$

$$s = (female, male, unspecified) \ , \qquad n = number\ of\ allocated\ sampled\ catches$$

Calculations of mean weight (and mean length) at age (or length) for unsampled catches are done as the following:

$$MeanWeight_{a,s} = \sum_{i=1}^{n} MeanWeight_{a,s,i} * \frac{WeightingFactor_i}{\sum_{j=1}^{n} WeightingFactor_{a,s,j}} \quad , \quad (2)$$

$$a = [age_{first} .. age_{last}] \ \vee \ a = [length_{first} .. length_{last}] \quad ,$$

$$s = (female, male, unspecified) \ , \qquad n = number\ of\ allocated\ sampled\ catches$$

'Mean weight weighted by numbers at age or length'-algorithm

The weighting algorithm for 'Mean weight weighted by numbers at age or length' is calculating the numbers at age by a very direct way with no weighting (which is exactly the same as using the generic weighting algorithm with CATON weighting). But when calculating the mean weight at age (or length) for the unsampled catch, the allocated mean wrights are weighted by their numbers at age. The very direct calculations of the numbers at age (or length) are as follows:

$$Number_{a,s} = CatchWeight_{unsampled} * \frac{\sum_{i=1}^{n} Number_{a,s,i}}{\sum_{j=1}^{n} CatchWeight_j} \quad , \quad (3)$$

$$a = [age_{first} .. age_{last}] \ \vee \ a = [length_{first} .. length_{last}] \quad ,$$

$$s = (female, male, unspecified) \ , \qquad n = number\ of\ allocated\ sampled\ catches$$

The calculations of the numbers at age (or length) are calculated as follows:

$$MeanWeight_{a,s} = \sum_{i=1}^{n} MeanWeight_{a,s,i} * \frac{Number_{a,s,i}}{\sum_{j=1}^{n} Number_{a,s,j}} \quad , \quad (4)$$

$$a = [age_{first} .. age_{last}] \ \vee \ a = [length_{first} .. length_{last}] \quad ,$$

$$s = (female, male, unspecified)\ , \qquad n = number\ of\ allocated\ sampled\ catches$$

CATON weighting

CATON weighting is an often used weighting and therefore this weighting is also the default. The CATON weighting is equal to the 'Mean weight weighted by numbers at age or length' for calculating the numbers at age. By inserting the symbolic expression in the generic weighting algorithm for **calculation of the numbers at age (or length) using CATON weighting, the result is exactly the same as for the** '**Mean weight weighted by numbers at age or length**'. By using No[sample number] for number, C[sample number] for catch weight, and then use 'CATON'-weighting, which mean using the catch weights as weighting factors WF[sample number], the following result is given:

$$\begin{aligned}
Number &= CatchWeight_{Unsampled} * \left(\frac{No1}{C1} * \frac{WF1}{WF1+WF2+...} + \frac{No2}{C2} * \frac{WF2}{WF1+WF2+...} + ...\right) \\
&= CatchWeight_{Unsampled} * \left(\frac{No1}{C1} * \frac{C1}{C1+C2+...} + \frac{No2}{C2} * \frac{C2}{C1+C2+...} + ...\right) \\
&= CatchWeight_{Unsampled} * \left(\frac{No1}{C1+C2+...} + \frac{No2}{C1+C2+...} + ...\right) \\
&= CatchWeight_{Unsampled} * \frac{No1+No2+...}{C1+C2+...} \\
&= CatchWeight_{Unsampled} * \frac{\sum_{i=1}^{n} Number_i}{\sum_{j=1}^{n} CatchWeight_j}
\end{aligned}$$

Here it can be seen that the number at age (or length) is calculated in the same way for both weighting by CATON and weighting by 'Mean weight weighted by numbers at age or length'.

Mean weight weighted by numbers at age or length

For 'Mean weight weighted by numbers at age or length' the numbers at age (or length) for the unsampled catch is calculated in exact same way as for weighting by CATON. But the mean weight at age or length for the unsampled catch will be calculated based on the allocated mean weights – of cause, but the weighting is based on the allocated numbers at age (or length). This will from mathematical point create a sum of products (SOP) error, since the numbers at age (or length) and the mean weight at age (or length) not are weighted by the same factor. But in the case where ***the numbers at age for the allocated sampled catches, do not have a smooth curve, but there are large fluctuations of the numbers at the ages***. In such cases it could be more correct chose weighting by 'Mean weight weighted by numbers at age or length'.

Manual (equal weighting)

If several sampled catches are weighted equally the 'Manual' weighting must be selected, the default weighting factors for each sampled catch/strata is set to

1, which means the sampled catch/strata are weighted equally disregarding the catch weight, CATON, and Numbers at age, CANUM. The Numbers at age is simply a mean of the rate between each sampled Numbers at age/Catch weight.

Weighting using sampled data
Another common way to do weighting is to base the weighting on Numbers of age readings or other sample information.

Manual weighting in special cases
In other more special cases it is wanted to weight sampled data using CATON values from catches with have not been sampled. This is not a standard weighting procedure but can easily be performed. See the following simplified example were the following data are imported for a specific area and quarter:

Countries with sample data	**Countries with No sample data**
CountryA_SD	CountryB_No
CountryC_SD	CountryD_No
	CountryE_No

In this case to do hole fill-in for CountryE_No and calculate CANUM, WECA and length at age the following two only catches with samples are allocated:
Allocations for CountryE_No

- CountryA_SD
- CountryC_SD

But these two sampled catches must by weighted. CountryB_No's fisheries are similar to CountryA_SD and CountryD_No's fisheries are similar to CountryC_SD. And to use that information a weighting factor for each of the two allocated sampled catches are calculated by summing the related catches CATON:

	Weighting Factor,WF, based on related fisheries using CATON
CountryA_SD	WFA = CATON_CountryA + CATON_CountryB
CountryC_SD	WFC = CATON_CountryC + CATON_CountryD

These weighting factors can by applied to the two allocated catches using the 'Manual' weighing. The summations have to be done outside InterCatch but in this case it is important to write and explanation in the 'Comments' field in the lower left screen.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Area Country Season Catch Category Fleet
Only Area IIIa
Only DK
Only 3 qua.. Quarter
Only Landings
Only Other
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 4 qua. IIIa Other Unspec Landings All - 906
Add
Remove
Selected strata
Country Year Season Area Fleet Fleet type Catch category Report category WeightingFactor CATON in kg Sampled catch in T kg % No. Age read No. Length meas.
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1496 1483423 846 7852
DK 2009 2 qua. IIIa Bottom trawl HumanC Landings All - 1170 1170
Comments:
No comments
Weighting algorithm:
CATON
Cancel
OK
back to top
Internet
100%

The term ‘Weighting algorithm’ can be discussed because different weighting like ‘CATON’ and ‘Manual’ can be seen as different weighting algorithms. InterCatch uses one and the same generic weighting algorithm, what differs are the weighting factors.

When ‘CATON’ is selected as the ‘Weighting algorithm’ (see example above), the CATON weight values are copied to the column ‘weighting factor’ for each of the sampled catches seen the ‘Selected strata’.

When the button ‘OK’ is pressed the allocations are saved.

For all other weighting algorithms than ‘Manual’ you must select the appropriate weighting in the ‘Weighting algorithm’ drop down list box. The chosen weighting factor is automatically updated with the values from the selected weighting algorithm/fields.


http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyRuleSetEditor.aspx?intTargetId=16774&int - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Alloc
Select Allocation-Sources
For
Country Year Season Area Fleet Fleet type Catch category Report category CATON Usage Quality Depth R.
DK 2009 3 qua. IIIa Other Unspec Landings All - 500000 NA NA NA
Filter
Area Country Season Catch Category Fleet
Only Area IIIa Only DK Only 3 qua.. Quarter Only Landings Only Other
Available strata
Country Year Season Area Fleet Fleet type Catch category Report category CATON in kg Sampled catch in T kg % No. Age read No. Length meas. No. samples Age No. samples Length
DK 2009 4 qua. IIIa Other Unspec Landings All - 906
Add
Remove
Selected strata
Country Year Season Area Fleet Fleet type Catch category Report category WeightingFactor CATON in kg Sampled catch in T kg % No. Age read No. Length meas.
DK 2009 1 qua. IIIa Bottom trawl HumanC Landings All - 1496 1496 1483423 846 7852
DK 2009 2 qua. IIIa Bottom trawl HumanC Landings All - 1170 1170
Comments:
No comments
Weighting algorithm:
Manual
Change weighting factor for "checked" selected strata.
1
Add
Cancel
OK
Internet
100%

If you want to weight each of the sampled catches equally independent of CATON or sample data, then ‘Manual’ weighting should be used. Select Weighting algorithm ‘Manual’, and check/mark all stratas and enter ‘1’ in the ‘Change weighting factor for ‘checked’ selected strata’, and press ‘Add’.

It is possible to change the weighting factor for a selection of the sampled catches. You can weigh one or several of the sampled catches to be weighted twice as much (for instance).
To do this, select the data categories (by checking them in the left hand column) for which you want to change the weighting factor, then ‘Change weighting factor’. When you press ‘Add’ you can see the updated weighting factor in the right hand column (using the scroll bar).

When the weighting is set, you can click the ‘OK’ button and your set up of allocations for the unsampled catch **is saved** under your allocation scheme.

For all other weighting algorithms than ‘Manual’ the weighting is independent of any checks you might have set in the check boxes in the left hand column. The check boxes are only for manual weighting.

ICES CIEM
Contact Sitemap FAQ Glossary GroupNet Login Admin
Search Everything
EXPLORE US NEWS AND EVENTS MARINE DATA PUBLICATIONS COMMUNITY
Data handling Overviews InterCatch- Misc Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:02 April 2014, 11:28:27
Working year: 2014
Data year: 2013
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: From last year
Allocation scheme 'From last year'
For aas-arct in 2013
Auto allocations
Filter:
Go to Group setup
Edit 11 Mean W UK (Scotland) IIa 2013 1 SDN_DEF_>=120_0_0_all Landings R Report 500,000.000 No comments H NA
Edit 11 Mean W UK (Scotland) IIa 2013 4 OTB_DEF_80-99_0_0 Discards R Report 94,804.320 No comments H NA
Edit 0 Mean W Denmark IIb 2013 2 Active Discards R Report 1,140.153 No comments H NA
Edit 0 Mean W Denmark IIa 2013 2013 C-Allgears Discards R Report 760.272 No comments H NA
The table above shows all the unsampled catches/stratas for which allocations have to set up. When allocations have been set up for an unsampled stratum a '+' is shown in the first column. When clicking the '+' the allocated stratas are shown.
You can at any time copy the way allocations was done in another year. If some allocations already are set up these allocations will not be overwritten. Previous allocations will only be copied to strata with no allocations. (remember if e.g. the Fleet or Reporting Category is different, InterCatch cannot find the strata automatically). You can then edit the allocations afterwards where needed, remember to check all allocations, or discard the allocations and just create a new (blank) allocation scheme.
Year from which you wish to copy allocation schemes: 2012
Copy the allocations from the selected year
Allocation scheme to copy from:
(Select the Stock and year to view the allocations in details before copying it)
CEFAS demo: No unsampled starta have allocations for this scheme
copy of H1: No unsampled starta have allocations for this scheme
H1: No unsampled starta have allocations for this scheme
Test by WG: No unsampled starta have allocations for this scheme
WGCSE demoRename: No unsampled starta have allocations for this scheme
WGNSSK: 10 unsampled strata allocated for this scheme(Final export). A total of 120 sampled strata were used as sources for the unallocated strata
WKIC1: 1 unsampled stratum have allocations for this scheme. A total of 2 sampled strata were used as sources for the unallocated strata
WKIC2: No unsampled starta have allocations for this scheme
WKIC2_1: No unsampled starta have allocations for this scheme
WKIC2_2: No unsampled starta have allocations for this scheme
Close this page

After clicking the ‘OK’ button in the set up of allocations the screen above is shown. Repeat editing until all the rows have a drop down plus sign marker in the left hand column.

When pressing the ‘+’ sign the sampled stratas which are allocated to the unsampled catch are shown.

You can copy any allocation scheme from any year for the same stock at the bottom of the page, by selecting the year and allocation scheme. The numbers of strata for which the allocation scheme have allocations is shown.

After having set up all unsampled catches, press ‘Close’ or just go to the next menu item.

The setup of each unsampled catch have been saved when pressing ‘Ok’ in the previous screen.

5.12.1 Allocation Group Setup

http://intercatch.ices.dk/CS/Data/ApplyEstimatior
ices.dk
Find: fil
Previous
Next
Options
ICES
CIEM
Contact
Sitemap
FAQ
Glossary
GroupNet Login
Admin
Search Everything
EXPLORE US
NEWS AND EVENTS
MARINE DATA
PUBLICATION
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:14 May 2013, 10:38:30
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: WKIC2_1
Allocation scheme 'WKIC2_1 '
For aas-arct in 2012
Auto allocations
Filter: -
Go to Group setup
The table above shows all the unsampled catches/stratas for which allocations have to set up. When allocations have been set up for an unsampled stratum a '+' is shown in the first column. When clicking the '+' the allocated stratas are shown.
Before you press any 'Edit' buttons, you can copy the way allocations was done last year (remember if e.g. the Fleet or Reporting Category is different, InterCatch cannot find the strata automatically). You can then edit the allocations afterwards where needed, remember to check all allocations, or discard the allocations and just create a new (blank) allocation scheme.
Copy last year's allocations
Close

	No Alloc	Weight Algorithm	Country	Area	Year	Season	Metier/Fleet	CatchCategory	Report cat.	CATON in kg	Comments	Usa
Edit	0	Mean W	UKS	IIa	2012	1	SDN_DEF_>=120_0_0_all	Landings	R - Rep	50000	No comments	Hun
Edit	0	Mean W	UKS	IIa	2012	3	SDN_DEF_>=120_0_0_all	Landings	R - Rep	30000	No comments	Hun
Edit	0	Mean W	UKS	IIa	2012	4	OTB_DEF_80-99_0_0	Discards	R - Rep	0	No comments	Hun
Edit	0	Mean W	UKS	IIb	2012	1	SDN_DEF_>=120_0_0_all	Discards	R - Rep	29937	No comments	Hun
Edit	0	Mean W	UKS	IIb	2012	2	SDN_DEF_>=120_0_0_all	Discards	R - Rep	8434	No comments	Hun
Edit	0	Mean W	UKS	IIb	2012	4	SDN_DEF_>=120_0_0_all	Discards	R - Rep	16127	No comments	Hun

Instead of setting up allocations for each unsampled catch, it is also possible to set up allocations in the same way for groups of unsampled catches, by pressing the ‘Go to Group Setup’ button.


Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:14 May 2013, 10:43:25
Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: WKIC2_1
Grouping of unsampled strata
Grouped strata for same allocations
Filters for unsampled stratas, use shift and ctrl.
Catch category: Discard Landing
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Unsampled strata which can be grouped together for the same allocation approach (2 records found)
Country Year Season Area Catch cat. Report cat. Fleet Caton Samples Catch No. Age Read. No. Length Meas. No. Sample Age No. Samp Length
UK (Scotland) 2012 1 IIa Landings R Report SDN_DEF_>=120_0_0_all 50,000.000
UK (Scotland) 2012 3 IIa Landings R Report SDN_DEF_>=120_0_0_all 30,000.000
Add selected
Add all
Remove all
Remove selected
Group 1 Name of group 1
Update group name
Cancel
Unsampled strata in groups:
No data found

The user select among all unsampled catches, which unsamped catches should be grouped together. The later to this group allocated samped catches/strata will be used/allocated for each of the unsampled catches in this group.

Use the filter by pressing Control or Shift and clicking the items, remember to press ‘Update filter’. Check mark the unsampled catches which should be grouped together in a group.



Click ‘Add selected‘and give the group a name, then click the ‘Save group and go to setup the allocations’. That will save the group and redirect the user to the ‘Allocations of Grouped unsampled strata’-page.

The user should set up the allocation for each just created group before creating a new group of unsampled catches. If the user what to create all the groups first and the do the allocations for all the groups, the user just click ‘Back …’ in the next page the ‘Allocations of Grouped unsampled strata’-page.



Use the filter by pressing Control or Shift and clicking the items, remember to press ‘Update filter’. Then check mark the sampled strata, which should be allocated for the group, and press ‘Add selected’. This will move the selected strata from the ‘Sampled strata which …’ to the ‘Selected sampled strata …’


Filters for sampled strata
Catch category: Discard Landing
Countries: UK(Scotland)
Seasons 1 2 2012 3
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Sampled strata which can be grouped together for the same allocation approach
No data found
Add selected
Add all
Remove all
Remove selected
Selected sampled strata which will be allocated to each of the stratum in the group: (5 records found)
Country Year Season Area Catch cat. Report cat. Fleet Caton Weighting Factor Samples Catch No. Age Read. No. Length Meas. No. Sample Age No. Samp Lengt
UK (Scotland) 2012 1 IIb Landings R Report SDN_DEF_>=120_0_0_all 323,000.000 0 0
UK (Scotland) 2012 2 IIb Landings R Report SDN_DEF_>=120_0_0_all 91,000.000 0 0 253 1,434 4
UK (Scotland) 2012 2 IIa Landings R Report SDN_DEF_>=120_0_0_all 111,000.000 0 0 253 1,434 4
UK 2012 4 IIa Landings R SDN_DEF_>=120_0_0_all 197,000.000 0 0 254 1,377 2
Comments:
Weighting Factor (at stratum level) by:
Mean Weight weighted by Numbers at Age or Length
CATON
Manual
Mean Weight weighted by Numbers at Age or Length
No Age Read
No Length Meas
No Samples for Age
No Samples for Length
Sampled Catch
Back (Go to Grouping page)

When the wanted sampled strata have been selected, the weighing algorithm is selected just like when the individual unsampled strata are set up.

The Weighing Factor field the 10th column in the table (after the CATON column) is updated accordingly to the selected weighting algorithm/field.



When the wanted sampled strata and the wanted weighting algorithm have been selected, press the ‘Save and make the allocations’, and the allocations for the group have been saved, and the user can exit without losing any work.



The user is redirected to the ‘Grouping of unsampled starata’-page, default viewing the just set up group.

Adding a new group is done by selecting the small dropdown, see the blue marked 2 in the Group dropdown in the screen above, press the small downwards triangle like on all windows applications and the dropdown will unfold. Select the next number to set up a new group, like in this case number “2”. Use also this dropdown to shift between the groups already set up, if you want to view or change the strata in the group


Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: WKIC2_1
Grouping of unsampled strata
Grouped strata for same allocations
Filters for unsampled stratas, use shift and ctrl.
Catch category: Discard Landing
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Unsampled strata which can be grouped together for the same allocation approach (4 records found)
Country Year Season Area Catch cat. Report cat. Fleet Caton Samples Catch No. Age Read. No. Length Meas. No. Sample Age No. Samp Length
UK (Scotland) 2012 1 IIb Discards R Report SDN_DEF_>=120_0_0_all 29,937.852
UK (Scotland) 2012 2 IIb Discards R Report SDN_DEF_>=120_0_0_all 8,434.503
UK (Scotland) 2012 4 IIa Discards R Report OTB_DEF_80-99_0_0 00.000
UK 2012 4 IIb Discards R Report SDN_DEF_>=120_0_0_all 16,127.511
Add selected
Add all
Remove all
Remove selected
Group 2 Discards All
Update group name
Cancel
Unsampled strata in groups:
No data found
Back (Setup and Check Alloc. page)
Save group and go to setup the allocations

A new group name for group number 2 can be entered. Then select the strata which should belong to the group 2 in this case called “Discards All”. Mark the strata, which should belong to group 2 and press “Add selected”.


Working year: 2013
Data year: 2012
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: WKIC2_1
Grouping of unsampled strata
Grouped strata for same allocations
Filters for unsampled stratas, use shift and ctrl.
Catch category: Discard Landing
Countries: UK(Scotland)
Seasons 1 2 3 4
Areas IIa IIb
Fleets OTB_DEF_80-99_0_0 SDN_DEF_>=120_0_0_all
Search part of fleet name by keyword:
Update filter
Unsampled strata which can be grouped together for the same allocation approach
No data found
Add selected
Add all
Remove all
Remove selected
Group 2 Discards All
Update group name
Cancel
Unsampled strata in groups: (4 records found)
Country Year Season Area Catch cat. Report cat. Fleet Caton Samples Catch No. Age Read. No. Length Meas. No. Sample Age No. Samp Length
UK (Scotland) 2012 1 IIb Discards R Report SDN_DEF_>=120_0_0_all 29,937.852
UK (Scotland) 2012 2 IIb Discards R Report SDN_DEF_>=120_0_0_all 8,434.503
UK (Scotland) 2012 4 IIa Discards R Report OTB_DEF_80-99_0_0 00.000
2012 4 IIb Discards R Report SDN_DEF_>=120_0_0_all 16,127.511
Back (Setup and Check Alloc. page)
Save group and go to setup the allocations

After the ‘Add selected’ is pressed the selected strata is moved to the ‘Unsamped strata in groups’. Then click the ‘Save group and go to setup the allocations’. That will save the group and redirect the user to the ‘Allocations of Grouped unsampled strata’-page, just like when setting up group 1. Then the the unsampled strata can be allocated to the group.

5.1 Calculate Distributions from Allocation Scheme

Menu item: 11. Calculate Distributions from Allocation Scheme

After having set up allocations for all unsampled catches under an allocation scheme, the catch numbers at age or length (CANUM) and mean weight in catch at age or length (WECA) for all unsampled catches must be calculated.



Check that you have selected the right Allocation scheme, then click ‘Yes’. The catch numbers at age or length (CANUM) and mean weight in catch at age or length (WECA) for all unsampled catches are now being calculated.

To change the Allocation scheme, press ‘No’ and select the right and ‘Change Stock and Year’,

If you have forgotten to set up allocations for one or more unsampled catches you will see a message ‘This allocation-scheme does not cover all catches! Return to “Set up apply methods”, to fix this’. You should return to the ‘Setup or Check Allocation schemes’ and complete the allocations for all unsampled catches.



When all numbers and mean weight at age or length for all unsampled catches has been calculated it should take less than 20 sec. the screen above is shown.

Click ‘View’ to see the numbers (CANUM) and mean weight (WECA) at age or length for each unsampled catch.

If a ‘Trial’ dataset should be finalised please go to menu ‘8 Extract and View Imported Stock/Year data’. Here you press ‘view’ and then ‘finalise’. REMEMBER to say yes to copy discards and yes to copy allocation schemes if there already exist a data set in status Final with discards and allocations already set up.

http://intercatch.ices.dk/CS/Data/ApplyEstimation/ApplyResultReport.aspx?enmDisp=Final - Windows Internet Explorer
ICES CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Thursday, January 27, 2011, 1:33:46 PM
Working year: 2011
Data year: 2010
Stock: aas-arct
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Allocation 1
Results of Allocation
For aas-arct2010
This is the finalized stock where checked data will be used in further tasks.
Status: Final
Distribution: Age
Stock
Year
Season
Area
Country
Catch kg
Catch Cat.
Rep. Cat.
Fleet
aas-arct 2010 1 Quarter IIa DK 18890000 Landings A - All Bottom tr
aas-arct 2010 2 Quarter IIa DK 12000000 Landings A - All Bottom tr
Age 1 Sex: Un CANUM
Age 2 Sex: Un CANUM
Age 3 Sex: Un CANUM
Age 4 Sex: Un CANUM
Age 5 Sex: Un CANUM
Age 6 Sex: Un CANUM
Age 7 Sex: Un CANUM
Age 8 Sex: Un CANUM
Age 9 Sex: Un CANUM
Age 10 Sex: Un CANUM
Age 11 Sex: Un CANUM
317719 3051948 4699392 5516677 4850181 1307656 1099249 406599 295040 49445 86836
Age 1 Sex: Un WECA g
Age 2 Sex: Un WECA g
Age 3 Sex: Un WECA g
Age 4 Sex: Un WECA g
Age 5 Sex: Un WECA g
Age 6 Sex: Un WECA g
Age 7 Sex: Un WECA g
Age 8 Sex: Un WECA g
Age 9 Sex: Un WECA g
Age 10 Sex: Un WECA g
Age 11 Sex: Un WECA g
169 360 453 534 611 735 879 1043 1180 1942 3203
aas-arct 2010 3 Quarter IIb DK 8000000 Landings A - All Bottom tr
Back
back to top
Done, but with errors on page.
Internet
100%

The calculated CANUM and WECA for each unsampled catch can be seen by clicking the '+' sign to the left. Two rows of data are shown. The upper row contains the CANUM values for each age or length and sex. The lower row contains the WECA values in gram.

If the specific allocated sampled catches to an unsampled catch contained CANUM and WECA for females, males and undetermined, then CANUM and WECA are represented for the same sexes for the unsampled catch.
If there are more sexes it is useful to use the scroll bar to see all CANUM and WECA.

The following are the codes for sex:

- Fe - female
- Ma –male
- Un – undetermined

If you want to finalise the 'Trial' dataset please go to menu '8 Extract and View Imported Stock/Year data'. Here you press 'View' and then 'Finalise'. REMEMBER to say yes to copy discards and yes to copy allocation schemes if there already exist a data set in status Final with discards and allocations already set up.

5.2 View Calculated Distributions

Menu item: 12. View Calculated Distributions

In this screen the user can find out which allocation scheme there was used to calculate the age or length distributions for the unsampled catches for the 'Final' dataset (or 'Trial').

If a 'Trial' dataset should be finalised please go to menu '8 Extract and View Imported Stock/Year data'. Here you press 'view' and then 'finalise'. REMEMBER to say yes to copy discards and yes to copy allocation schemes if there already exist a data set in status Final with discards and allocations already set up.

5.3 Aggregate and Export Stock Data

Menu item: 13. Aggregate and Export Stock Data



Only data from Stock and Year ‘Final’ can be exported, therefore you are redirected to ‘7. Set Stock and Year/Workingspace’ so you can select the ‘Final’ dataset under the relevant Stock and Year. If the calculated distribution data you want to use and export are in status ‘Trial’ then ‘Finilaze’ the dataset in ‘12. View Calculated Distributions’ (the calculations of the CANUM and WECA for unsampled catches).

Landings only

Some stocks only have landings data no sample data, or very few samples which are not allocated to other strata. InterCatch automatically detect if a stock should be seen as a ‘landings only’ stock or a stock with age or length distributions for all strata. If just one strata do not have an age or length distributions, then the stock is exported as a ‘landings only’ stock, see the screen below.

http://intercatch.ices.dk/ExportFishData/LandingOnlyExport.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:Wednesday, June 01, 2011, 2:35:10 PM
Working year: | Data year: | Stock: | Assignment: | WorkingStatus: | Distribution: | Allocation scheme:
2011 | 2010 | bll-2232 | WG | Final | Age | Not set
The selected stock has no age or length distribution data in the database. Or there are unsampled catches for which allocations have not been set up. PLEASE SET UP ALLOCATIONS FOR ALL UNSAMPLED CATHCES, if the stock is age or length distributed, it could be that no catches with age or length data have been imported at this point. If this is a stock for which there mainly is only catches and a few samples (not used for allocations), please click 'Ok' to export the catches/landings.
Ok
Cancel
back to top
Search the site / Contact Us / Disclaimer/ Feedback
© Copyright ICES 2011 All Rights Reserved

Save the data from the link.

Returning to the stocks with an age or length distribution for all catches



In this page you specify the level of your aggregation. The wide top field is just for information showing what is selected. The first field ‘FleetType’ is a filter for the next field ‘Fleet’. You select the fleets which must be aggregated in the output. Then the countries which must be aggregated are selected. Most offen ‘All’ are selected in the fields, to aggregate all catch data to the total stock catch.

The fields must be selected in the order shown on the screen. The drop down lists only show codes for which data exist. But for ‘Season’ and ‘Area’ all

quarters or areas are shown independent of imported data, simply to be able to aggregate on a higher level than the imported data.

After having specified the level of aggregation by the chosen fleets, countries etc. click the ‘Aggregation’ button.

Data are aggregated to the level specified and a SOP value is calculated and shown next to the ‘SOP’ field see the next page.

Discards exported separately
In the Catch Category list first ‘Landings’ are selected and the rest of the field are selected, then the data is aggregated and exported. Then in the Catch Category list the ‘Discards’ are selected and again data are exported.

Stock weight WEST
If WEST is taken from a specific quarter like 1st or 3rd, then select ‘Quarter’ in SeasonType field and select the specific quarter in the Season field and select ‘All’ where relevant in all other fields and then press ‘Aggregate’ and then ‘Export’.



If the SOP value is acceptable you can export the stock CATON, CANUM, WECA, the allocation files (two if discards are used) and the Catch and Sample data tables by clicking ‘Export of Files’. Then a hyper link is showing a zip file with the same name as the **stock code** and the selected **areas** and the **date and time**.

Left click on the hyper link and select the option ‘Save as …’ and save the zip file on you local workstation.

This zip file contains the following files with data in the Lowestoft format:

- **CATON.txt** *(the catch is only from the selection criteria)*
- **CANUM.txt** *(the numbers are only from the selection criteria)*
- **WECA.txt** *(the mean weights are only from the selection criteria)*
- **AllocationsAndCatchData.txt** *
- **CatchAndSampleDataTables.txt** *

* showing all data independent of the selection criteria.

If discards have set up/allocated the following file is also added. This file contains the documentation of the selected/allocated landings-discards for all the raised discards:

- **DiscardAllocations.txt** *

If 'Survey and logbook data' have been imported that is; tuning fleet CPUE data, mean weight in stock (WEST) and maturity data, then the following files will also be included in the zip file also in the Lowestoft format:

- **Fleet.txt** *
- **Maturity.txt** *
- **WEST.txt** *

The CATON, CANUM, WECA, Fleet, Maturity and WEST files are text and can be direct used as input to the assessment models.

File: AllocationsAndCatchData.txt



Microsoft Excel - AllocationsAndCatchData.txt

	A	B	C	D	E	F	G	H
105	--	France	3	Quarter	IVaW	TestA	No Age Read	
106	The following sampled catches are allocated to above unsampled catch:							
107	<<	Netherlands	3	Quarter	IVaW	TestA	2050	
108	<<	Germany	3	Quarter	IVaW	TestA	1016	
109	Filling-in for the following unsampled record:							
110	--	France	3	Quarter	IVb	TestA	No Age Read	
111	The following sampled catches are allocated to above unsampled catch:							
112	<<	Netherlands	3	Quarter	IVb	TestA	400	
113	<<	Germany	3	Quarter	IVb	TestA	1360	
114	Filling-in for the following unsampled record:							
115	--	France	3	Quarter	VIId	TestA	Manual	
116	The following sampled catches are allocated to above unsampled catch:							
117	<<	Netherlands	2	Quarter	VIId	TestA	1	
118	Filling-in for the following unsampled record:							
119	--	France	4	Quarter	IVc	TestA	Manual	
120	The following sampled catches are allocated to above unsampled catch:							
121	<<	Netherlands	4	Quarter	IVc	TestA	1	
122	Filling-in for the following unsampled record:							
123	--	France	4	Quarter	VIId	TestA	No Age Read	
124	The following sampled catches are allocated to above unsampled catch:							
125	<<	Netherlands	4	Quarter	VIId	TestA	1722	
126	<<	Germany	4	Quarter	VIId	TestA	600	

The AllocationsAndCatchData explains how the allocations were done see above, where the text AllocationsAndCatchData file, which is tabulator delimited is opened directly in a spreadsheet.

The CatchAndSampleDataTables.txt file is from 2008 and includes 4 tables. Two tables for the working group report, and 2 other tables, which can be used as pivot tables for examining the data:

1. Sample data per country and area for the WG report
2. CANUM, WECA and length data per age or length for each area and quarter for the WG report
3. List of catches for all imported stratas (no age or length specific data) for pivot tables for data examination.
4. List of all imported catches data with sample data for each age or length for pivot tables for data examination.

In the following the examples of the four different tables in the file are shown. The file is as the AllocationsAndCatchData file tabulator delimited and can therefore be opened directly in a spreadsheet.


Microsoft Excel - CatchAndSampleDataTables.xls
File Edit View Insert Format Tools Data Window Help
Type a question for help
Reply with Changes... End Review...
A1 19/02/2008 11:25:04
Sheet3 Sheet4 Pivot DataDetailed CatchAndSampleDataTables
Ready
NUM

	A	B	C	D	E	F	G	H	I	J	K
31	Area: IVaW										
32	----------										
33	Country	Catch	Reporting	Misreporte	Catch	Sampled	Official	No. of leng	No.	No. of age	No.
34		category	category	area to/fror		Catch	Catch	samples	measured	samples	aged
35	Denmark	Catch	All - report		48128000	47472	48128000	46	6038	46	1280
36	France	Landings	Reported		10941000	0	10941000	0	0	0	0
37	Germany	Catch	Reported a		15514000	15514	12939000	28	11924	28	1155
38	Germany	Landings	Reported		4620000	0	4620000	0	0	0	0
39	Netherlands	Catch	All - report		60319000	60319	43565000	109	13183	109	2725
40	Netherlands	Landings	All - report		2366000	0	311000	0	0	0	0
41	Norway	Catch	Reported a		36119000	36119	36119000	13	1207	13	1196
42	Sweden	Landings	Reported		2178000	0	2178000	0	0	0	0
43	UK (England)	Landings	Reported		13480000	0	13480000	0	0	0	0
44	UK(Northern Ireland)	Landings	Reported		2656000	0	2656000	0	0	0	0
45	UK(Scotland)	Discards	Reported		13219000	13219	0	9	2538	9	746
46	UK(Scotland)	Landings	Reported		53312000	53312	43490000	86	14795	86	3799
47				Total	262852000	225955	218427000	291	49685	291	10901
48											
49	Total Discards: 13219000										
50	Total Misreported: 0										
51											

Sample data per country and area for the WG report in the 1. part of the CatchAndSampleDataTables.txt file.

Microsoft Excel - CatchAndSampleDataTables.xls

File Edit View Insert Format Tools Data Window Help

A1 19/02/2008 11:25:04

	A	B	C	D	E	F	G	H
224	Catch Numbers at Age by Area							
225	----------							
226	For Period	1						
227								
228	Ages	IIIa	IVaE	IVaW	IVb	IVc	VIId	Total
229	0	0	0	0	0	0	0	0
230	1	9444000	0	0	796000	1982764	0	12222764
231	2	1.12E+08	7907213	495638	1170658	3328535	0	124495044
232	3	6002000	45203959	41916485	5713411	19188349	42847038	160871242
233	4	3112000	22527196	35648326	4834394	2907357	9314729	78344002
234	5	7579000	38094887	37909530	5054181	4360522	7917105	100915225
235	6	1214000	13707541	3649057	490152	1744209	5123042	25928001
236	7	1789000	8830966	4702941	625469	0	2328977	18277353
237	8	835000	1845372	1192682	118370	291044	2328977	6611445
238	9	0	439000	96000	0	0	0	535000
239								
240								
241	Mean Weight at Age by Area (in gram)							
242	----------							
243	For Period	1						
244								
245	Ages	IIIa	IVaE	IVaW	IVb	IVc	VIId	Total
246	0	0	0	0	0	0	0	NaN
247	1	17	0	0	29	29	0	19.72812009
248	2	62	79.9	136	35.2	34.9	0	62.45495298
249	3	93	105.6	112	112	84	76	96.56460927
250	4	132	139.9	133.1	133	107	106	130.8147851
251	5	147	143.7	144.2	144	111	118	140.7214906
252	6	167	158.1	161.1	161	118	160	156.671591
253	7	187	169.7	171.1	171	0	143	168.3958309
254	8	177	182	186.9	188	125	173	176.6802947
255	9	0	182	191	0	0	0	183.6149533
256								
257								
258	Mean Length at Age by Area (in mm)							
259	----------							
260	For Period	1						
261								
262	Ages	IIIa	IVaE	IVaW	IVb	IVc	VIId	Total
263	0	0	0	0	0	0	0	NaN
264	1	0	0	0	175	0	0	11.39676754
265	2	0	227.1	274.6	164.9	35.8	0	18.02508158
266	3	0	251	257.4	0	226.4	189.3	215.0209262
267	4	0	273.7	271.3	0	244	207.9	235.9212088
268	5	0	276.3	274.7	0	249.8	216.3	235.2577956
269	6	0	279.7	289.1	0	255.7	232.4	251.6789011
270	7	0	292.5	292.8	0	0	238.3	247.0310607
271	8	0	298.3	244.3	0	261.5	246.7	225.7469149
272	9	0	282	74	0	0	0	244.6766355

Sheet3 Sheet4 Pivot DataDetailed CatchAndSampleD

CANUM, WECA and length data per age or length for each area and quarter for the WG report in the 2. part of the CatchAndSampleDataTables.txt file.



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
498	Stock	Country	Year	CatchCate	ReportingC	Misreporte	Area	Season	SeasonTyp	Fleet	CATON	OfficialLan	SampledO	SampledC	No. of Len	No. of Len	No. of Age	No. Age	Readings
499	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Estimated	0	0	0	0	0	
500	her-47d3	Denmark	2004	Catch	All - report		IVaW	1	Quarter	TestB	21000	21000	Estimated	0	0	0	0	0	
501	her-47d3	Denmark	2004	Catch	All - report		IVb	1	Quarter	TestA	2227000	2227000	Estimated	0	0	0	0	0	
502	her-47d3	Denmark	2004	Catch	All - report		IVc	1	Quarter	TestB	137000	137000	Estimated	0	0	0	0	0	
503	her-47d3	France	2004	Landings	Reported		IVaW	1	Quarter	TestA	4000	4000	Estimated	0	0	0	0	0	

Above is the list of catches for all imported stratas (no age or length specific data) which can be used as a pivot tables for data examination in the 3. part of the CatchAndSampleDataTables.txt file.



	A	B	C	D	E	F	G
1	Drop Page Fields Here						
2							
3	Sum of CATON		Season				
4	Country	CatchCategory	1	2	3	4	Grand Total
5	Belgium	Landings				8000	8000
6	Belgium Total					8000	8000
7	Denmark	Catch	31185000	5201000	26830000	35821000	99037000
8	Denmark Total		31185000	5201000	26830000	35821000	99037000
9	Faroe Islands	Landings		285000	117000		402000
10	Faroe Islands Total			285000	117000		402000
11	First unknown country	Landings		-4533000	-2546000		-7079000
12	First unknown country Total			-4533000	-2546000		-7079000
13	France	Landings	971000	1932000	19674000	11944000	34521000
14	France Total		971000	1932000	19674000	11944000	34521000
15	Germany	Catch	69000		30533000		30602000
16		Landings		4985000		10111000	15096000
17	Germany Total		69000	4985000	30533000	10111000	45698000
18	Netherlands	Catch	8340000	9966000	78604000	32046000	128956000
19		Landings	215000		0	6067000	6282000
20	Netherlands Total		8555000	9966000	78604000	38113000	135238000
21	Norway	Catch	5658000	59467000	25265000	47248000	137638000
22	Norway Total		5658000	59467000	25265000	47248000	137638000
23	Second unknown country	Landings	9861000	3622000	7123000	3608000	24214000
24	Second unknown country Total		9861000	3622000	7123000	3608000	24214000
25	Sweden	Landings		2628000	2750000	314000	5692000
26	Sweden Total			2628000	2750000	314000	5692000
27	UK (England)	Landings	147000	1110000	15248000	4350000	20855000
28	UK (England) Total		147000	1110000	15248000	4350000	20855000
29	UK(Northern Ireland)	Landings			2643000	13000	2656000
30	UK(Northern Ireland) Total				2643000	13000	2656000
31	UK(Scotland)	Discards			2275000	10944000	13219000
32		Landings		1913000	51256730	1983000	55152730
33	UK(Scotland) Total			1913000	53531730	12927000	68371730
34	Grand Total		56446000	86576000	259772730	164457000	567251730

The table could be used for a pivot table where an easy and good overview of e.g. CATON, see above



Microsoft Excel - CatchAndSampleDataTables.xls

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	Stock	Country	Year	CatchCate	ReportingC	Misreporte	Area	Season	SeasonTy	Fleet	CATON	OfficialLan	Sex	AgeOrLen	AgeOrLen	SampledO	CANUM	WECA
2	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Undetermi	2	Age	Estimated	213	136
3	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Undetermi	3	Age	Estimated	17959	112
4	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Undetermi	4	Age	Estimated	15196	133
5	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Undetermi	5	Age	Estimated	15887	144
6	her-47d3	Denmark	2004	Catch	All - report		IVaE	1	Quarter	TestB	7000	7000	Undetermi	6	Age	Estimated	1541	161

Above is the list of all imported catches data with sample data for each age or length, which can be used as a pivot tables for data examination in the 3. part of the CatchAndSampleDataTables.txt file.



Microsoft Excel - CatchAndSampleDataTables.xls

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
1	AgeOrLength	3																	
2																			
3	Sum of WECA	SampledOrExt	Area	Season															
4		Estimated										Estimated Tot	Sampled						
5		IVaE	IVaE Total	IVaW	IVaW Total	IVb	IVb Total	IVc	IVc Total	VIId	VIId Total		IIIa	IIIa Total	IVaE	IVaE Total	IVaW	IVaW Total	IVc
6	Country	1		1		1		1		1			1		1		1		1
7	Denmark	112	112	112	112	112	112					336			102	102	112	112	
8	France			113	113			84	84	76	76	273							
9	Germany																113	113	
10	Netherlands			113	113	96	96					209							84
11	Norway														119	119			
12	Second unknown country												93	93					
13	UK (England)							84	84	76	76	160							
14	Grand Total	112	112	338	338	208	208	168	168	152	152	978	93	93	221	221	225	225	84

The table could be used as a pivot table where an easy and good overview of e.g. WECA for a given age, see the example above where WECA for age 3 is shown.

5.4 Data status

Menu item: 15. Status of data in InterCatch


https://intercatch.ices.dk/ExportFishData/DataStatus.aspx
InterCatch- 15. Status of da...
Google
Search
Share
More
Sign In
This page is in English. Translate it using Google Toolbar? Not in English? Help us improve
The content of this secure page will be sent to Google for translation using a secure connection. Learn more
Translate
Data handling
Overviews
InterCatch- Misc
Change password
Henrik Kjems-Nielsen LOG OUT
Last updated:28 March 2014, 16:37:23
Working year: 2014
Data year: 2013
Stock: ang-kask
Assignment: WG
WorkingStatus: Trial
Distribution: Lngt
Allocation scheme: Not set
Status of the data in and exported out of InterCatch
It is very important to state if the exported data will be/was used in the stock assessment. Therefore please answer the following questions now or return to this page just after you know if the just exported data was used in the stock assessment.
If allocations for unsampled strata have been made (meaning the stock has not only Landings or all strata are already sampled), please make sure that the allocation scheme used for the data in the assessment also is the allocation scheme, which was used for calculation the last distribution. Otherwise please select the correct allocation scheme and calculate the age or length distributions again (you do not need to export data again. Then the right allocation scheme and calculations are documented.
Stock coordinator:Henrik Kjems-Nielsen Date:28 03 2014
Is the exported data from InterCatch used for the stock assessment of ang-kask?
Yes
No
Please confirm that the allocation scheme used to calculate the last age or length distribution, which is exported for the assessment, is also the allocation scheme which is shown in menu "13. Calculate Distributions from Allocation Scheme":
Yes
No
Please state how InterCatch was used for raising and allocations for the stock assessment:
Used as the only tool
Used in parallel with another tool, and InterCatch was used for full raising of data
Used in parallel with another tool, but InterCatch was only used for trial or partly raising
Please describe the use of InterCatch. Why InterCatch was used as the only tool or in parallel with another tool? Have you compared the output from InterCatch with another tool before? When? What did you find out/conclude?
Save
Cancel
125%

All stock coordinators have to state which status the data in InterCatch are in. Please make sure as described that the allocation scheme which is used to calculate the distribution of the exported data used for the assessment also is the allocation scheme used for the last distribution calculation.

If InterCatch have been used as the only tool, or only for a trial or partly raising the page will look like above, please fill it in. If InterCatch have been used in parallel with another tool and all data was raised, then the page will expand, please see the next page.

The information can be changed and updated at a late point.

Please state how InterCatch was used for raising and allocations for the stock assessment:

- ○ Used as the only tool
- ◉ Used in parallel with another tool, and InterCatch was used for full raising of data
- ○ Used in parallel with another tool, but InterCatch was only used for trial or partly raising

Please describe the use of InterCatch. Why InterCatch was used as the only tool or in parallel with another tool? Have you compared the output from InterCatch with another tool before? When? What did you find out/conclude?

fhsfdr

What kind of tool is the other tool used in parallel?

- ◉ Spreadsheet
- ○ A tailored application written in C++, VB or .NET
- ○ Something else
- ○ No other tool used
- ○ A tailored application written in R

What is the name of the other tool or what is it called? my own spreadsheet

Is there a difference in the total CATON (catch weight) IMPORTED into InterCatch and the other tool used in parallel?

Please enter the CATON in kg IMPORTED into the other tool

CATON in kg IMPORTED into InterCatch:	5568957.00	kg
CATON in kg IMPORTED into the other tool:	5560000.00	kg
Difference in kg:	-8957.00	kg
Difference in percentage:	-0.16	%

Please describe the IMPORT difference

- ○ No difference
- ◉ Insignificant or small difference
- ○ Significant difference
- ○ Comparison not made or I do not know

Please fill in the information in the page about the CATON/weight catch imported into InterCatch and the other system. InterCatch will automatic fill in the values it has and show the difference, please see above.

The difference in general seen over all ages or lengths for the CANUM (catch numbers at age or length) and WECA (mean weight at age or length) is: [update field: CANUMDifference, with id from IC_DsCANUMdifference]

Is there a difference in the total CATON (catch weight) EXPORTED output of InterCatch and EXPORTED out of the other tool used in parallel?

Please enter the CATON in kg EXPORTED out of the other tool:

CATON in kg EXPORTED out of InterCatch:	9845429.40	kg
CATON in kg EXPORTED out of the other tool:	9870000.00	kg
Difference in kg:	24570.60	kg
Difference in percentage:	0.25	%

Please describe the EXPORT difference

- ○ No difference
- ◉ Insignificant or small difference
- ○ Significant difference
- ○ Comparison not made or I do not know

please describe the difference in general seen over all ages or lengths for the CANUM (catch numbers at age or length) and WECA (mean weight at age or length):

- ○ Non or insignificant difference
- ◉ Small acceptable difference
- ○ Significant and not acceptable difference
- ○ Comparison not made
- ○ Comparison made a previous year with non or insignificant difference
- ○ Comparison made a previous year with small acceptable difference
- ○ Comparison made a previous year with Significant and not acceptable difference

Describe the comparison? Is the difference acceptable? Will you use InterCatch next year as the only tool

hsdf

There could be many reasons for differences between the data in InterCatch and the assessment data. It does not mean InterCatch is not making the right raising/estimations. The data imported may not be the same or the selected allocations may not be the same or discards may not be raised in the same way.

Save Cancel

Please fill in the information in the page about the CATON/weight catch exported out of InterCatch and the other system. InterCatch will automatic fill in the values it has and show the difference, please see above.

6 Overviews

6.1 Area list

Under main menu item: Overviews | Area list

http://intercatch.ices.dk/CS/Data/Reports/StrataDefinitionAreaList.aspx - Windows Internet Explorer
ICES
CIEM
Data handling
Overviews
Misc
InterCatch > Overviews > Area list Henrik Kjems-Nielsen
Log out
Working year: 2010
Data year: 2009
Stock: ang-kask
Assignment: WG
WorkingStatus: Final
Distribution: Age
Allocation scheme: Not set
Area list
43F5 Not Set IVb Central North Sea
43F6 Not Set IVb Central North Sea
43F7 Not Set IVb Central North Sea
I Barents Sea FAOarea27 Area Top Level
Ib Not Set I Barents Sea
II Norwegian Sea Spitzbergen & Bear Island FAOarea27 Area Top Level
IIa Norwegian Sea II Norwegian Sea Spitzbergen & Bear Islan
IIaI Including Division IIa west of 5 degrees W IIa Norwegian Sea
IIaX Excluding Division IIa west of 5 degrees W IIa Norwegian Sea
IIb Spitzbergen and Bear Island II Norwegian Sea Spitzbergen & Bear Islan
III Skagerak Kattegat Sound Belt & Baltic Sea FAOarea27 Area Top Level
IIIa Kattegat and Skagerrak III Skagerak Kattegat Sound Belt & Baltic Se
IIIaE Skagerrak and Kattegat East IIIa Kattegat and Skagerrak
IIIaK Kattegat part of IIIa IIIa Kattegat and Skagerrak
IIIaN Skagerrak part of IIIa IIIa Kattegat and Skagerrak
IIIaS Kattegat part of IIIa IIIa Kattegat and Skagerrak
IIIb Sound III Skagerak Kattegat Sound Belt & Baltic Se
IIIc Belt Sea III Skagerak Kattegat Sound Belt & Baltic Se
IIId Baltic Sea III Skagerak Kattegat Sound Belt & Baltic Se
IV North Sea FAOarea27 Area Top Level
IVa Northern North Sea IV North Sea
IVaE Northern North Sea - East IVa Northern North Sea
IVaW Northern North Sea - West IVa Northern North Sea
IVb Central North Sea IV North Sea
Close
back to top
Done, but with errors on page.
Internet
100%

To see what areas exist in InterCatch the user can select the main menu item ‘Overviews’ the only menu item under this is the ‘Area list’, and see the list above.

If any area needs to be added please contact the ICES Secretariat

6.2 Hint to see data

Overviews of data sets in work status ‘Trial’ or ‘Final’ location scheme is used

To see which if there are data sets in work status ‘Trial’ or ‘Final’ or both:

- Go to **menu item: 8. Extract and View Imported Stock/Year Data**

Overviews of allocation scheme is used

To see which allocation scheme has been used to calculate CANUM and WECA for work status ‘Trial’ or ‘Final’ or both:

- Go to **menu item: 12. View Calculated Distributions**

7 Change Log

Date	Ver.	Respon-sible	Page ref.	Change description
25.01.2006	1.0	MZ	All	Document created and written
21.07.2006	1.2	MZ	All	Document updated
23.02.2007	1.3	HKN	All	Document revised and written
27.03.2007	1.31	BMS	1- 52	Document / text revised, needs final decisions and explanations from HKN
02.05.2007	1.4	HKN	1- 52	Document / text revised and updated
28.02.2008	1.5	HKN	All	Rewrite, updated and add.
29.01.2010	1.6	HKN	All	Functionality and menu update and Revision added.
18.01.2011	1.7	HKN	All	Revision manually age or length data editing added. Import of Tuning Fleets, WEST and Maturity under the format Survey and Logbook data. New screen shoots for Advance Data Check. General updates.
31.05.2011	1.8	HKN	55-62, 87-89	Raised discards setup written. Export of 'landings only' added.
07.02.2012	1.9	HKN	55-64	Matching landings and discards and update of all raised discards setup.
10.05.2013	1.10	HKN	48 60-77	Extract copying discard setup and discard groups Grouping of discards.
24.03.2014	1.11	HKN	6, 16-17, 47-49, 90, 104-113, 116-117, 129-131	P 6 insert raise discards. P 16-17 Import species strata compare. P 47-49 Stock compare with previous year. P 53 Update Extract copy allocations. P 90 Auto Allocations. P 104-113 Allocation grouping setup. P 116-117 Update how to finalise. P 129-131 Data status.